INDEX TO VOLUME LXX*

The Index for Volume 70 consists of three parts: (1) Subject Index, (2) Fungous Taxa Index, and (3) Host Index.

SUBJECT INDEX

The Subject Index includes authors, titles, key words of titles and other subject matter, biographies, reviews, notices, etc.

Acarid mite 1239
Achmoody, James B. and John R. Chipley. The influence of metabolic inhibitors and incubation time on aflatoxin release from Aspergillus flavus 313
Acremonium sordidulum mycoparasitic on Colletotrichum dematium f. truncata in India 453
Adams, P. R. and J. J. Deploey. Enzymes produced by thermophilic fungi 906
Advances in microbial ecology, volume 1; review 703
Aflatoxins 104, 313
Agarwal, H. C. See Hasija and Agarwal 47
Age effect
  Exserohilum 538
Ainsworth, G. C. et al. Nomenclature of fungi pathogenic to man and animals; review 478
Ajello, Libero. Coccidiomycosis: Current and diagnostic status; review 478
Akai, S. See Shigemitsu et al. 935
Albuginaceae 384
Alcohol dehydrogenase 586
Aldrin 431
Alexander, M. (ed.). Advances in microbial ecology, volume 1; review 703
Alexander, M. T. See Butterfield et al. 1122
Algae
  Chara 241
  Gigartina 875
  Gracilaria 875
  Nostoc 924
  Ulva 875
Amin, K. S., B. Baldev and F. J. Williams. Phytophthora cajani, a new species causing stem blight on Cajanus cajan 171
Amon, James P. A method for obtaining sporulating Labyrinthula 1297
———. Thraustochytrids and labyrinthulids of terrestrial, aquatic and hypersaline environments of the Great Salt Lake, USA 1299
Amphibious hyphomycetes 419
Animal
  Acanthamoeba 398, 403
  Aphelenchoides 1088
  Bubalus 787
  Dendroctonus 35
  Eriophes 1126
  Epicypta 1239
  Heterodera 781
  Ips 40
  Meloidogyne 774
  Panagrellus 1088
  Phacotus 147
  Polyphagus 147
  Reticulitermes 1277
  Trachelomonas 147
  Trichopsenius 1277
  Tyrophagus 1239
  Uca 888

* Volumes 1 through 59 have been indexed as to fungous taxa, hosts, and subject. These three indices have been combined in a single publication and issued as: MYCOLOGIA INDEX, VOLUMES 1 THROUGH 58 (1909–1966). xvi + 1108 pages Price: $40.00. Available from: The New York Botanical Garden, Bronx, N. Y. 10458.

INDEX TO VOLUME LXX*

The Index for Volume 70 consists of three parts: (1) Subject Index, (2) Fungous Taxa Index, and (3) Host Index.

SUBJECT INDEX

The Subject Index includes authors, titles, key words of titles and other subject matter, biographies, reviews, notices, etc.

Acarid mite 1239
Achmoody, James B. and John R. Chipley. The influence of metabolic inhibitors and incubation time on aflatoxin release from Aspergillus flavus 313
Acremonium sordidulum mycoparasitic on Colletotrichum dematium f. truncata in India 453
Adams, P. R. and J. J. Deploey. Enzymes produced by thermophilic fungi 906
Advances in microbial ecology, volume 1; review 703
Aflatoxins 104, 313
Agarwal, H. C. See Hasija and Agarwal 47
Age effect
  Exserohilum 538
Ainsworth, G. C. et al. Nomenclature of fungi pathogenic to man and animals; review 478
Ajello, Libero. Coccidiomycosis: Current and diagnostic status; review 478
Akai, S. See Shigemitsu et al. 935
Albuginaceae 384
Alcohol dehydrogenase 586
Aldrin 431
Alexander, M. (ed.). Advances in microbial ecology, volume 1; review 703
Alexander, M. T. See Butterfield et al. 1122
Algae
  Chara 241
  Gigartina 875
  Gracilaria 875
  Nostoc 924
  Ulva 875
Amin, K. S., B. Baldev and F. J. Williams. Phytophthora cajani, a new species causing stem blight on Cajanus cajan 171
Amon, James P. A method for obtaining sporulating Labyrinthula 1297
———. Thraustochytrids and labyrinthulids of terrestrial, aquatic and hypersaline environments of the Great Salt Lake, USA 1299
Amphibious hyphomycetes 419
Animal
  Acanthamoeba 398, 403
  Aphelenchoides 1088
  Bubalus 787
  Dendroctonus 35
  Eriophes 1126
  Epicypta 1239
  Heterodera 781
  Ips 40
  Meloidogyne 774
  Panagrellus 1088
  Phacotus 147
  Polyphagus 147
  Reticulitermes 1277
  Trachelomonas 147
  Trichopsenius 1277
  Tyrophagus 1239
  Uca 888

* Volumes 1 through 59 have been indexed as to fungous taxa, hosts, and subject. These three indices have been combined in a single publication and issued as: MYCOLOGIA INDEX, VOLUMES 1 THROUGH 58 (1909–1966). xvi + 1108 pages Price: $40.00. Available from: The New York Botanical Garden, Bronx, N. Y. 10458.

Annotated bibliography of chickpea diseases 1915–1976; review 1315
Annual review of phytopathology, volume 15; review 913
Antabuse-like reaction 1124
Anthraquinones 104
Antifungal compounds. Vol. 2. Interactions in biological and ecological systems; review 479
Aphids 208
Apothecial development in Cookeina tricholoma with comments on some related species 1253
Aragaki, Minoru. See Honda and Aragaki 343, 538, 547, 605
Aronson, Jerome M. and C. C. Lin. Hyphal wall chemistry of Leptomitus lacteus 363
Asci of the Pezizales V: the apical apparatus of Trichobolus zukalii 1191
Asparagine effect, Trichothecium 56
Aspergillus robustus, a new species in the A. ochraceus group 200
Asellariales 944
Ashworth, J. M. and Jennifer Dee. The biology of slime moulds; review 1314
Aspen zone, mushrooms 1040
Assessing the predacity of nematode-trapping fungi in vitro 1086
Atlas de micrologia basica; review 1311

Babos, M. See Bohus and Babos 703
Bailey, R. H. See Brown et al. 470
Baker, Kenneth F., George A. Zentmyer, and Ellis B. Cowling (eds.). Annual review of phytopathology, volume 15; review 913
Baldev, B. See Amin et al. 171
Bärlocher, Felix and J. J. Oertli. Inhibitors of aquatic hyphomycetes in dead conifer needles 964
Barnett, H. L. See Hunter and Barnett 614
———. See Jordan and Barnett 300
Baroni, Timothy J. Chemical spot-test reactions-boletes 1064
Barr, Margaret E. [Review of] The taxonomy and pathology of Venturia species 1310, 1311
Barron, G. L. The nematode-destroying fungi; review 1314
Basuchaudhury, K. C. See Singh et al. 453
Batra, L. R. [Review of] Pilzkunde, ein kurzer Abriss der Mykologie, ed. 3 1302
——— and S. W. T. Batra. [Review of] Termites et Champignons: Les champignons termitophiles d'-Afrique Noire et d'Asie meridionale 468
———. See Dumont and Batra 61
Batra, S. W. T. See Batra and Batra 469
Battarraea phalloides in New Mexico 689
Bau, Yun-shen. See Wong and Bau 645
Beiträge zur Biologie der niederen Pflanzen; review 1315
Bennett, J. W., F. A. Fernholz and L. S. Lee. Effect of light on aflatoxins, anthraquinones, and sclerotia in Aspergillus flavus and A. parasiticus 104
Bernard, E. C. See Pohlad and Bernard 130
Bestimmungsschlüssel europaischer Flechten: Ergangungsheft I; review 911
Bhagyanarayana, G. See Ramachar and Bhagyanarayana 863
Bigelow, Howard E. [Review of] The genus Leptonia 1307–1309
———. The cantharelloid fungi of New England and adjacent areas 707
Biochemistry, ocean 431
Biographies
deBary, Anton 222
Hesler, L. R. 757
Sparrow, Frederick K. 213
Biology and pathology of Macrophomina phaseolina; review 1314
Biology of slime moulds; review 1314
Biotrophic movement of photosynthate 925
Biotrophic nutrition 923
Bistis, George. See Hervey et al. 1269
Blackwell, Meredith and James W. Kimbrough. Hormiscioideus filamentosus gen. et sp. nov., a termite-infesting fungus from Brazil 1274
Blanchard, Robert O. See Cotter and Blanchard 697
Blastocladiales 461
Blue-green symbionts 928

Bobbitt, Thomas F. and John H. Nordin. Hyphal nigeran as a potential phylogenetic marker for Aspergillus and Penicillium species 1201
Bohus, G. and M. Babos. Fungorum rariorum icones coloratae, pars VIII; review 703
Boletes, chemical tests 1064
Boletineae of Florida with notes on extralimital species; review 914
Booth, C. See Kuhlman et al. 1131
Bonman, J. M. See Rogers and Bonman 1286
Botanical Institute, Strasbourg f249, f250
Botanists, portraits 229, 238
Braun, Alexander 232
Botryotinia and Botrytis species: taxonomy, physiology, and pathogenicity; review 913
Braselton, James P. See Talley et al. 1241
Bromberg, Susan K. and Marvin N. Schwalb. Sporulation in Schizophyllum commune: changes in enzyme activity 481
Brown, D. H., D. L. Hawksworth, and R. H. Bailey (eds.). Lichenology: Progress and problems; review 470
Bryophytes
Atrichum 130
Sphagnum 456
Bulmer, Glenn S. See Fromtling and Bulmer 397
Bundgaard, Janne. See Onsberg and Bundgaard 899
Burk, William R. Pseudocolus fusiformis: synonymy and distribution records 900
———, and Douglas R. Smith. Dictyophora multicolor, new to Guam 1258
Burpee, L. L., P. L. Sanders, and H. Cole, Jr. A staining technique for nuclei of Rhizoctonia solani and related fungi 1281
Butterfield, W., S. C. Jong, and M. T. Alexander. Polypropylene vials for preserving fungi in liquid nitrogen 1122

Cadmium effect, Sclerotium 849
Calcium oxalate crystals in the wall of Mucor mucedo 829
Campbell, R. Microbial ecology; review 703
Cantharellaceae 719
Cantharelloid fungi of New England and adjacent areas 707
Cantino, Edward C. (ed). Experimental mycology; review 211
Carpenter, S. E. See Dumont and Carpenter 68
Carpenter, Steven E. and K. P. Dumont. Leotiaceae I. Nannfeldt's Phialeoideae. The genera Belonioscypha, Cyathicula and Phialea 1223
Cellular slime molds 1173
Cellulase 577, 1113
Cellulose 160
Cellulose and lignocellulose degradation by thermophilic and thermotolerant fungi 1
Cerradoa palmaea: the first rust fungus on Palmae 569
Chaetomium cellulolyticum, growth behavior on cellulose and protein production 160
Chahal, D. S. and D. I. C. Wang. Chaetomium cellulolyticum, growth behavior on cellulose and protein production 160
Chandrashekara, K. V. See Natarajan and Chandrashekara 1294
Chang, H. S. See Ko et al. 380
Chaphekar, P. M. See Mehta et al. 847
Characteristics of the cellulase produced by the ascomycete Poronia punctata 1113
Characterization of the Fusarium causing pitch canker of southern pines 1131
Chemical spot-test reactions-boletes 1064
Chemistry,
Leptomitus 363
Chemotaxonomic studies, Phymatotrichum 1164
Chen, C. C. See Ko et al. 380
Chesapeake bay fungi 692
Chipley, John R. See Achmoody and Chipley 313
Chlorination 684
Christensen, Martha and Ann C. Worley. Mycosylva from a Larix-Picea and Sphagnum bog in Wisconsin 456
——— and Kenneth B. Raper. Aspergillus robustus, a new species in the A. ochraceus group 200
———, Kenneth B. Raper, and Jack S. States. Two new Aspergillus nidulans group members from Wyoming soils 332

Churchland, L. M. and M. McClaren. Nutritional studies of Zalerion maritimum in batch culture 406
Chytridiomycetarum Iconographia; review 1304
Chytridiomycetes 461
Clark, Jim and O'Neil Ray Collins. Plasmodial incompatibility in the myxomycete Didymium nigripes 1249
Classification,
Regnum fungi 1019
Claus, D. and C. Schaab-Engels (eds.). Deutsche Sammlung von Mikroorganismen, German collection of microorganisms; review 478
Clitocybe clavipes: antabuse-like reaction to alcohol 1124
Coccidiomycosis: Current clinical and diagnostic status; review 478
Cochran, Kenneth W. and Martha W. Cochran. Clitocybe clavipes: antabuse-like reaction to alcohol 1124
Cochran, Martha W. See Cochran and Cochran 1124
Coelomycetes 1030
Cole, H., Jr. See Burpee et al. 1281
Collins, O'Neil Ray. See Clark and Collins 1249
Collins, R. P. See Hubball and Collins 117
Compendium of wheat diseases; review 1316
Conidium ontogeny and cytology of Tubakia dryina from Louisiana hardwoods 1212
Conifer needle colonization 419
Conifer needle hyphomycetes 964
Conway, Kenneth E. and James W. Kimbrough. Release of ascospores and asci from the perithecia of Ophioceras dolichostomum 895
Congress, Second International Mycological 253
Cotter, H. Van T. and Robert O. Blanchard. Heterothallism in Nectria coccinea var. faginata 697
Cowley, G. T. and Alfred Frye. Effects of yeast-supplemented diets on the fiddler crab, Uca pugilator 888
Cowling, Ellis B. See Baker et al. 913
Crab, fiddler 888
Crane, J. L. and C. A. Shearer. Two new species of Trichocladium (Hyphomycetes) from submerged wood 866
Critical comments on the spermagonia of Hapalophragmium ponderosum 863
Cryptogams of the United States North Pacific exploring expedition; review 1312
Cucurbitaceae 1144
Cultural and other studies of fungi that decay ocotillo in Arizona 266
Cultural studies of single ascospore isolates of Morchella esculenta 1269
Cytology, Tubakia 1212
Cytophotometric evidence for heteroploidy in the life cycle of Armillaria mellea 487

Dactylella oviparasitica, a new fungal parasite of Meloidogyne eggs 774
Daniels, Barbara A. and Darr M. Duff. Variation in germination and spore morphology among four isolates of Glomus mosseae 1261
Davidson, Ross W. A new species of Ceratocystis on Endothia parasitica canker of American chestnut 856
———. Staining fungi associated with Dendroctonus adjunctus in pines 35
——— and E. George Kuhlman. A species of Ceratocystis closely associated with Endothia cankers on American chestnut in Eastern United States 853
Dearness mycological collection 509
Decay fungi, ocotillo 266
Dee, Jennifer. See Ashworth and Dee 1314
De fungi van Nederland. De clavarioide fungi. Auriscalpiaceae, Clavariaceae, Clavulinaceae, Gomphaceae; review 476
Degradation of a plastic—poly epsiloncaprolactone—by hyphomycetes 87
Degradation of rubratoxin by Penicillium rubrum 196
Deodhar, K. P. See Mehta et al. 847
Deploey, J. J. See Adams and Deploey 906
Deutsche Sammlung von Mikroorganismen, German collection of microorganisms; review 478
Dhingra, Onkar D. and James B. Sinclair. Biology and pathology of Macrophomina phaseolina; review 1314

Dibben, Martyn J. [Review of] Lichenology: Progress and problems 470
Dickinson, C. H. See Wallace and Dickinson 1151
——— and J. A. Lucas. Plant pathology and plant pathogens; review 703
Dictionary of tropical American crops and their diseases; review 705
Dictyophora multicolor, new to Guam 1258
Dieldrin 431
Die mitteleuropäischen Rostpilze der futter- und rasengräser; review 704
Dinitrogen fixation associated with sporophores of Fomitopsis pinicola, Fomes fomentarius, and Echinodontium tinctorium 1217
Discomycetes 1030
Dissemination of myxomycete spores through the feeding activities (ingestion-defecation) of an acarid mite 1239
Distribution of cellular slime molds in Wisconsin prairie soils 1173
Distribution,
Psilocybe 385
Dittmer, Howard J. Battarraea phalloides in New Mexico 689
Diurnal effects of ultraviolet light on pycnidium production in Phyllosticta antirrhini 184
Doenças do trigo e seu controle; review 1315
Downy mildews 594
Doyle, Anna F. Some secondary metabolites from Nectria species 355
Duff, Darr M. See Daniels and Duff 1261
Dumont, K. P. See Carpenter and Dumont 1223
——— and L. R. Batra. Sclerotiniaceae XIII. An undescribed species on Berberis 61
——— and S. E. Carpenter. Sclerotiniaceae XIV. Asterocalyx 68
——— and K. P. Pal. Sclerotiniaceae XV. Additional species from India 76
Dwinell, L. D. See Kuhlman et al. 1131

Eboh, Dan O. A taxonomic survey of Nigerian rust fungi-Uredinales nigerianensis-I 1077
Ecology 975
Amphibious hyphomycetes 419
Effects of chlorination on the survival of cells of Candida albicans 684
Effect of light on aflatoxins, anthraquinones, and sclerotia in Aspergillus flavus and A. parasiticus 104
Effects of monochromatic radiation on pycnidial formation and exudation of conidia in Botryodiplodia theobromae 605
Effects of yeast-supplemented diets on the fiddler crab, Uca pugilator 888
Emeh, C. Obi and Elmer H. Marth. Degradation of rubratoxin by Penicillum rubrum 196
Emoto, Yoshikadzu. The myxomycetes of Japan; review 701
Endomycorrhizae 449
Entomophthora ignobilis, the correct name for a common fungal pathogen of aphids 208
Entomophthorales 130
Enzyme activity 481
Enzymes produced by thermophilic fungi 906
Esslinger, Theodore L. [Review of] Lichenology in the British Isles 1568–1975: an historical and bibliographical survey 1303, 1304
———. Studies in the lichen family Physciaceae. III. A new species of Phaeophyscia from Hawaii 1247
Ethnomycological data
Psilocybe 385
Evidence for production of inhibitor by the vesicular-arbuscular-mycorrhizal fungus Gigaspora margarita 821
Experimental mycology; review 211
External morphology of zoospores of Phytophthora parasitica var. nicotianae race 3 679

Fast-neutron induced strains 645
Fergus, C. L. The fungus flora of compost during mycelium colonization by the cultivated mushroom, Agaricus brunnescens 636
Fernández, John A. and Wilford M. Hess. Sporidial reproduction in Sorosporium consanguineum: wall ontogeny 814
Fernholz, F. A. See Bennett et al. 104
Field and laboratory studies of meliolaceous fungi in Hawaii 995

Flegler, Stanley L. and Gary R. Hooper. Ultrastructure of Cyathus stercoreus 1181
Florida Everglades, microfungi; 1151
Flück-Wirth (Krypto), F. General catalogue no. 4: botany (biology); review 705
Ford, R. E. and J. B. Sinclair (eds.). Rust of soybean: the problem and research notes; review 704
Frederick Kroeber Sparrow (1903–1977) 213
Frey, W., H. Hurka and F. Oberwinkler (eds.). Beiträge zur Biologie der niederen Pflanzen; review 1315
Fromtling, Robert A. and Glenn S. Bulmer. In vitro effect of aqueous extract of garlic (Allium sativum) on the growth and viability of Cryptococcus neoformans 397
Frye, Alfred. See Cowley and Frye 888
Fungal saprophytism; review 1315
Fungi, especially Gibberella zeae, and zearalenone occurrence in wheat 14
Fungi, New England 707
Fungi of a Long Island oak-birch forest I. Community organization and seasonal occurrence of the opportunistic decomposers of the a horizon 975
Fungi of the Chesapeake Bay and its tributaries VII. Luttrellia estuarina gen. et sp. nov. (Ascomycetes) 692
Fungistatic effect of a human immunoglobulin preparation, gamastan, on Phialophora dermatitidis 802
Fungorum rariorum icones coloratae, pars VIII; review 703
Fungus flora of compost during mycelium colonization by the cultivated mushroom, Agaricus brunnescens 636

Gamastan 802
Garlic extract effect
  Cryptococcus 397
General catalogue no. 4: botany (biology); review 705
Genetics and physiology of Aspergillus; review 914
Genetics
  Armillaria 487
  Aspergillus 766
  Didymium 1249
  Schizophyllum 481
Genetische Regulation der Fruchtkörper-Bildung bei höhern Basidiomyceten; monokaryotisches Fruchten bei Polyporus ciliatus; review 914
Genetische Kontrolle der Phenoloxydase "Laccase" des ascomyceten Podospora anserina; review 914
Genus Leptonia; review 1307
Geotropism in the endomycorrhizal fungus Gigaspora margarita 449
Gilbert, J.-E. Le genre Amanita Persoon; review 913
Gilbertson, R. L. [Review of] The resupinate Aphyllophorales of the North Western Himalayas 1309, 1310
———. See Nakasone and Gilbertson 266
Gilbertson, Robert L. See Larsen and Gilbertson 206
Glucose effect,
  Trichothecium 54
Gochenaur, S. E. Fungi of a Long Island oak-birch forest I. Community organization and seasonal occurrence of the opportunistic decomposers of the a horizon 975
Gomphaceae 712
Goos, R. D. Field and laboratory studies of meliolaceous fungi in Hawaii 995
———. Occurrence of Triscelophorus monosporus in upland sites on Oahu, Hawaii 188
Goos, Roger D. See Lamore and Goos 1025
Gottlieb, David. See Reilly and Gottlieb 19
Grand, L. F. and D. J. Lodge. Occurrence of Boletus piedmontensis in North Carolina and Georgia 1267
Grau, C. R. and K. J. Leonard. Zea mays, a new host for Ligniera junci (Plasmodiophorales) 41
Great Salt Lake fungi 1299
Growth and sporulation of species and isolates of Cylindrocladium in culture 614
Guba, Emil F. Wild mushrooms, food and poison; review 704
Gunasekaran, M. and Linda Pifer. Physiological studies on Phymatotrichum omnivorum VIII. Chemotaxonomic studies 1164

Guzmán, Gastón. Identificación de los hongos comestibles, venenosos y alucinantes; review 469
———. Variation, distribution, ethnomycological data and relationships of Psilocybe aztecorum, a Mexican hallucinogenic mushroom 385

Hallucinogenic mushroom 385
Handbuch fur Pilzfreunde, vol. 3, Blatterpilze-Hellblatter und Leistlinge, 2nd ed; review 1305
Hanlin, R. T. See Ulloa and Hanlin 1311
Harpellales 944
Hartz, T. K., M. R. Houston, and L. B. Lockwood. Substrate specificity and kinetic properties of NAPD+-dependent alcohol dehydrogenase of Phycomyces blakesleeanus 586
Harvey, A. E. See Larsen et al. 1217
Hasija, S. K. and H. C. Agarwal. Nutritional physiology of Trichothecium roseum 47
Haskins, Edward F. The occurrence of binary plasmotomy in the protoplasmodium of the white-spored Echinostelium minutum 192
Hawaii, meliolaceous fungi 995
Hawksworth, D. L. See Brown et al. 470
——— and M. R. D. Seaward. Lichenology in the British Isles 1568–1975: an historical and bibliographical survey; review 1303
Hayat, M. A. Introduction to biological scanning electron microscopy; review 1304
Heim, Roger. Termites et Champignons: Les champignons termitophiles d'Afrique Noire et d'Asie meridonale; review 468
Heintz, Caryl E. Assessing the predacity of nematode-trapping fungi in vitro 1086
Heithaus, J. J., III. See Watrud et al. 449, 821
Hennen, Joe F. and Yoshitaka Ono. Cerradoa palmaea: the first rust fungus on Palmae 569
Hervey, Annette, George Bistis and Ina Leong. Cultural studies of single ascospore isolates of Morchella esculenta 1269
Hesler, L. R., publications 761
Hess, Wilford M. See Fernández and Hess 814
Hesseltine, C. W., R. F. Rogers and Odette Shotwell. Fungi, especially Gibberella zeae, and zearalenone occurrence in wheat 14
Heterothallism in Nectria coccinea var. faginata 697
Hilum proturberance 547
Histological and histochemical techniques applied to the rhodophylloid fungi 527
Hoch, H. C. Mycoparasitic relationships. IV. Stephanoma phaeospora parasitic on a species of Fusarium 370
Holcomb, G. E. See Jones and Holcomb 1212
Honda, Yuichi and Minoru Aragaki. Effects of monochromatic radiation on pycnidial formation and exudation of conidia in Botryodiplodia theobromae 605
——— and ———. Photosporogenesis in Exserohilum rostratum: influence of temperature and age of conidiophores in the terminal phase 538
——— and ———. Photosporogenesis in Exserohilum rostratum: temperature effects on sporulation and spore morphology 343
——— and ———. Stability of hilum protuberance in Exserohilum species 547
Hooper, Gary R. See Flegler and Hooper 1181
Hormiscioideus filamentosus gen. et sp. nov., a termite-infesting fungus from Brazil 1274
Houston, M. R. See Hartz et al. 586
Hubball, John A. and R. P. Collins. A study of factors affecting the synthesis of terpenes by Ceratocystis variospora 117
Hudson, H. F. Fungal saprophytism; review 1315
Human immunoglobulin 802
Humber, Richard A. Entomophthora ignobilis, the correct name for a common fungal pathogen of aphids 208
Hunter, Barry B. and H. L. Barnett. Growth and sporulation of species and isolates of Cylindrocladium in culture 614

Hurka, H. See Frey et al. 1315
Hydrogen ion effect,
Trichothecium 51
Hypersaline environments 1299
Hyphal nigeran as a potential phylogenetic marker for Aspergillus and Penicillium species 1201
Hyphal wall chemistry of Leptomitus lacteus 363
Hyphomycetes 87, 866, 1028
Hyphomycetes, conifer needles 964

Identifación de los hongos comestibles, venenosos y alucinantes: review 469
Idosu, G. O. and G. A. Zentmyer. Phytophthora palmivora: a comparative study of "typical" and "atypical" isolates from cacao (Theobroma cacao) 1101
Immunoglobulin preparation 802
Index, host, Nigerian rusts 1084
Induktion der Primordienbildung bei dem Basidiomyceten Pleurotus ostreatus; review 913
Influence of metabolic inhibitors and incubation time on aflatoxin release from Aspergillus flavus 313
Inhibition and stimulation of growth of Pythium by streptomycin 880
Inhibition of sclerotial formation of Sclerotium rolfsii by cadmium 849
Inhibitors of aquatic hyphomycetes in dead conifer needles 964
Introduction to biological scanning electron microscopy; review 1304
Investigation of factors retarding colonization of conifer needles by amphibious hyphomycetes in streams 419
In vitro effect of aqueous extract of garlic (Allium sativum) on the growth and viability of Cryptococcus neoformans 397
Iwata, Kazuo (ed.). Recent advances in medical and veterinary mycology; review 474

Jarvis, W. R. Botryotinia and Botrytis species: taxonomy, physiology, and pathogenicity; review 913
Jaworski, E. G. See Watrud et al. 449, 821
Jenkins, David T. A taxonomic and nomenclatural study of the genus Amanita section Amanita for North America; review 474
Jen, Tien-ming and Shu-juan Kuo. The fungistatic effect of a human immunoglobulin preparation, gamastan, on Phialophora dermatitidis 802
Jong, S. C. See Butterfield et al. 1122
Jones, Jeanette and J. A. Schmitt. The effect of chlorination on the survival of cells of Candida albicans 684
Jones, J. P. and G. E. Holcomb. Conidium ontogeny and cytology of Tubakia dryina from Louisiana hardwoods 1212
Jordan, E. G. and H. L. Barnett. Nutrition and parasitism of Melanospora zamiae 300
Jurgensen, M. F. See Larsen et al. 1217

Karling, John S. Chytridiomycetarum Iconographia; review 1304
Kavelman, Ruth and Bryce Kendrick. Degradation of a plastic—poly epsilon-caprolactone—by hyphomycetes 87
Keller, Harold W. and David M. Smith. Dissemination of myxomycete spores through the feeding activities (ingestion-defecation) of an acarid mite 1239
Kendrick, Bryce. See Kavelman and Kendrick 87
———. See Michaelides and Kendrick 419
Keys
Cantharelloid fungi, genera 708
Cantharellus, species 709
Craterellus, species 709
entomophthoraceous fungi on nematodes and tardigrades 135
Gomphus, species 709
Peronosporales, families 384
Termite-infesting fungi 1279
Uromyces, species on Cucurbitaceae 1144
Khare, K. B. and V. P. Tewari. Two new species of Lamprospora from India 883
Kickxellales 944
Kimbrough, James W. See Blackwell and Kimbrough 1274
———. See Conway and Kimbrough 895

———. See Samuelson and Kimbrough 1191
Koch, Beatrix. See Urbanus et al. 829
Koehn, Robert D. See Robertson and Koehn 1113
Kohn, Linda M. [Review of] Toxic and hallucinogenic mushroom poisoning: a handbook for physicians and mushroom hunters 702
Korf, R. P. [Review of] Chytridiomycetarum Iconographia 1304, 1305
———. [Review of] Experimental mycology 211
———. [Review of] Mushrooms of North America 702
———. [Review of] The myxomycetes of Japan 701
———. [Review of] The North American cup-fungi (inoperculates) 912
———. [Review of] The North American cup-fungi (operculates) 912
Ko, W. H., H. S. Chang, H. J. Su, C. C. Chen, and L. S. Leu. Peronophythoraceae, a new family of Peronosporales 380
Kreisel, Hanns. Handbuch fur Pilzfreunde, vol. 3, Blatterpilze-Hellblattler und Leistlinge, 2nd ed; review 1305
Kuhlman, E. George. See Davidson and Kuhlman 853
Kuhlman, E. G., L. D. Dwinell, P. E. Nelson, and C. Booth. Characterization of the Fusarium causing pitch canker of southern pines 1131
Kunoh, H. See Shigemitsu et al. 935
Kurtzman, R. H., Jr. Production of mushroom fruiting bodies on the surface of submerged cultures 179
Kuo, Shu-juan. See Jen and Kuo 802

Labyrinthulids 1299
Laeticorticium lombardiae (Aphyllophorales, Corticiaceae): a newly recognized segregate from the L. roseum complex 206
Lamore, Bette J. and Roger D. Goos. Wood-inhabiting fungi of a freshwater stream in Rhode Island 1025
Largent, David L. See White and Largent 527
———. The genus Leptonia; review 1307
Larix-Picea bog 456
Larsen, Michael J. and Robert L. Gilbertson. Laeticorticium lombardiae (Aphyllophorales, Corticiaceae): a newly recognized segregate from the L. roseum complex 206
Larsen, M. J., M. F. Jurgensen, A. E. Harvey, and J. C. Ward. Dinitrogen fixation associated with sporophores of Fomitopsis pinicola, Fomes fomentarius, and Echinodontium tinctorium 1217
Lee, L. S. See Bennett et al. 104
Le genre Amanita Persoon; review 913
Leonard, K. J. See Grau and Leonard 41
Leong, Ina. See Hervey et al. 1269
Leotiaceae I. Nannfeldt's Phialeoideae. The genera Belonioscypha, Cyathicula and Phialea 1223
Leu, L. S. See Ko et al. 380
Lexemuel Ray Hesler February 20, 1888–November 20, 1977 757
Lichenology in the British Isles 1568–1975: an historical and bibliographical survey; review 1303
Lichenology: Progress and problems; review 470
Lichens 915
Lignocellulose 1
Lin, C. C. See Aronson and Lin 363
Lincoff, Gary and D. H. Mitchel. Toxic and hallucinogenic mushroom poisoning: a handbood for physicians and mushroom hunters; review 701
Liquid nitrogen 1122
Lockwood, L. B. See Hartz et al. 586
Locquin, Marcel V. Mycologie du Gout; review 479
Loculoascomycetes 1030
Lodge, D. J. See Grand and Lodge 1267
Lowy, B. [Review of] Atlas de micologia basica 1311, 1312
Lucas, J. A. See Dickinson and Lucas 703

Maas Geesteranus, R. A. De fungi van Nederland. De clavarioide fungi. Auriscalpiaceae, Clavariaceae, Clavulinaceae, Gomphaceae; review 476
McClaren, M. See Churchland and McClaren 406
McGinnis, Michael R. [Review of] Recent advances in medical and veterinary mycology 474

McMeekin, Dorothy. Inhibition and stimulation of growth of Pythium by streptomycin 880
Maestres, Luisa E. See Nolan and Maestres 890
Maiello, J. M. The diurnal effects of ultraviolet light on pycnidium production in Phyllosticta antirrhini 184
———. The origin of the pycnidium in Macrophomina phaseoli 176
Major medicinal plants: botany, culture and uses; review 704
Mankau, R. See Stirling and Mankau 774
Marth, Elmer H. See Emeh and Marth 196
Martin, W. Wallace. Two additional species of Catenaria (Chytridiomycetes, Blastocladiales) parasitic in midge eggs 461
Mehta, J. P., K. P. Deodhar, and P .M. Chaphekar. Variation in Trichophyton rubrum 847
Mehta, Yeshwant Ramchandra. Doenças do trigo e seu controle; review 1315
Meliolaceous fungi 995
Mengistu, A. See Nene, et al. 1315
Metabolic inhibitors 313
Method for obtaining sporulating Labyrinthula 1297
Mexican hallucinogenic mushroom 385
Michaelides, John and Bryce Kendrick. An investigation of factors retarding colonization of conifer needles by amphibious hyphomycetes in streams 419
Microbial ecology; review 703
Microbiological contamination 499
Microfungi 1151
Midge egg fungi 461
Mikronegeria alba (Uredinales) 321
Miller, Charles E. See Talley et al. 1241
Miller, Orson K. Mushrooms of North America; review 702
———. [Review of] A taxonomic and nomenclatural study of the genus Amanita section Amanita for North America 474–475
———. [Review of] Handbuch fur Pilzfreunde, vol. 3, Blatterpilze-Hellblattler und Leistlinge, 2nd ed. 1305, 1306
Mitchel, D. H. See Lincoff and Mitchel 701
——— and Alexander H. Smith. Notes on Colorado fungi III: new and interesting mushrooms from the aspen zone 1040
Mite infestation 499
Monoson, Herbert L. and Glenna M. Rogers. Species of Uromyces that infect New-World Cucurbitaceae 1144
Moore, Royall T. Taxonomic significance of septal ultrastructure with particular reference to the jelly fungi 1007
Morphology and photoresponses of fast-neutron and x-ray-induced strains of Monascus purpureus 645
Morphology
  Botryodiplodia 605
  Cookeina 1253
  Exserohilum 343
  Glomus 1261
  Phytophthora 679
  Sorosporium 814
  Stephanoma 370
  Trichobolus 1191
  Tubakia 1212
Morton, Julia F. Major medicinal plants: botany, culture and uses; review 704
Moss, Stephen T. and Tom W. K. Young. Phyletic considerations of the Harpellales and Asellariales (Trichomycetes, Zygomycotina) and the Kickxellales (Zygomycetes, Zygomycotina) 944
Motta, Jerome J. See Peabody et al. 487
Mushroom fruiting bodies 179
Mushrooms, Colorado 1040
Mushrooms of North America; review 702
Mycologia-financial report 1319
Mycological Congress, Second International 253
Mycological Society of America
  lecture 915
  presidential address 707
Mycologie du Gout; review 479
Mycologists, biographies
  Hesler, L. R. 757
Mycologists, portraits
  Bigelow, Howard E., (4) frontisp.
  deBary, Anton 228

Hesler, L. R. f759
Sparrow, Frederick K. (2) (frontisp)
Mycoparasite 453
Aspergillus 935
Mycoparasitic relationships. IV. Stephanoma phaeospora parasitic on a species of Fusarium 370
Mycophilic fungi 150
Mycosylva from a Larix-Picea and Sphagnum bog in Wisconsin 456
Myxomycetes of Japan; review 701

Nakasone, Karen K. and R. L. Gilbertson. Cultural and other studies of fungi that decay ocotillo in Arizona 266
Natarajan, K. South Indian Agaricales IV. A new species of Psathyrella 1259
——— and K. V. Chandrashekara. A new species of Tomentella from South India 1294
Nelson, P. E. See Kuhlman et al. 1131
Nematode-destroying fungi; review 1314
Nematode trapping fungi 1086
Nene, Y. L., A. Mengistu, J. B. Sinclair, and D. J. Royse. An annotated bibliography of chickpea diseases 1915–1976; review 1315
Neustonic fungi 140
New and interesting hyphomycetes from Tampa, Florida 784
New England fungi 707
New evidence for the validity of Copromyxa protea 843
New lid closure for fungal culture vessels giving complete protection against mite infestation and microbiological contamination 499
New Saccobolus from Michigan 189
New species of Badhamia with unique spore clusters 672
New species of Ceratocystis on Endothia parasitica canker of American chestnut 856
New species of Entomophthorales parasitizing tardigrades 130
New species of Polyschema from Indian soil 876
New species of Tomentella from South India 1294
Nigeran, hyphal 1201
Nitrogen assimilation 929
Nolan, Richard A. and Luisa E. Maestres. Saprolegnia australis from Newfoundland 890
Nomenclature of fungi pathogenic to man and animals; review 478
Nonomura, Arthur M. Thermophilic fungi isolated from seaweed drift piles 874
Nordin, John H. See Bobbitt and Nordin 1201
North American cup-fungi (inoperculates); review 912
North American cup-fungi (operculates); review 912
Notes on clavarioid fungi. IV. Reorganization of Clavaria, Clavulinopsis and Ramariopsis 660
Notes on Colorado fungi III: new and interesting mushrooms from the aspen zone 1040
Notes on Danish myxomycetes II Arcyria obvelata: a new name for Arcyria (Trichia) nutans 1284
Notes on the genus Ceriospora in India 859
Notes on the ultrastructure of zoospores of Sorosphaera veronicae 1241
Notices 1317
Nuclei staining 1281
Nutrition and parasitism of Melanospora zamiae 300
Nutritional physiology of Trichothecium roseum 47
Nutritional studies of Zalerion maritimum in batch culture 406

Oberwinkler, F. See Frey et al. 1315
Occurrence of binary plasmotomy in the protoplasmodium of the white-spored Echinostelium minutum 192
Occurrence of Boletus piedmontensis in North Carolina and Georgia 1267
Occurrence of Fusarium decemcellulare on living galls of Zizyphus mauritiana in India 1126
Occurrence of Triscelophorus monosporus in upland sites on Oahu, Hawaii 188
Ocean biochemistry 431
Ocotillo f267
Ocotillo decay fungi 266
O'Donnell, K. L. A new Saccobolus from Michigan 189
———. [Review of] Introduction to biological scanning electron microscopy 1304

——. [Review of] Recent progress in electron microscopy of cells and tissues 1311
Oehrens, Edgar. See Peterson and Oehrens 321
Oertli, J. J. See Bärlocher and Oertli 964
Olive, L. S. See Spiegel and Olive 843
On Omphalia and Omphalina 556
Ono, Yoshitaka. See Hennen and Ono 569
Onsberg, Per. Notes on Danish myxomycetes II Arcyria obvelata: a new name for Arcyria (Trichia) nutans 1284
——— and Janne Bundgaard. Storage of Epidermophyton floccosum at −22 C 899
Ontogeny, Tubakia 1212
Origin of the pycnidium in Macrophomina phaseoli 176
Oso, B. A. The production of cellulase by Talaromyces emersonii 577

Padgett, David E. Salinity tolerance of an isolate of Saprolegnia australis 1288
Pal, K. P. See Dumont and Pal 76
Palmae, rust 569
Pandeya, J. P. N. and S. B. Sakensa. A new species of Polyschema from Indian soil 876
Papa, K. E. The parasexual cycle in Aspergillus parasiticus 766
Parasexual cycle in Aspergillus parasiticus 766
Parasite of Meloidogyne eggs 774
Parasitism, Melanospora 300
Parmelee, J. A. The Dearness mycological collection 509
Paterson, Robert A. Frederick Kroeber Sparrow (1903–1977) 213
Peabody, Diane Cope, Jerome J. Motta and C. Dale Therrien. Cytophotometric evidence for heteroploidy in the life cycle of Armillaria mellea 487
Peat microfungi in three habitats in the Florida Everglades 1151
Pegler, David Norman. A preliminary agaric flora of East Africa; review 476
Peronophythoraceae, a new family of Peronosporales 380
Peronosclerospora species and other downy mildews of the Gramineae 594
Peronosporaceae 384
Peronosporales 380
Pestacide studies, Zalerion 431
Petersen, Ronald H. Lexemuel Ray Hesler February 20, 1888-November 20, 1977 757
———. Notes on clavarioid fungi. IV. Reorganization of Clavaria, Clavulinopsis and Ramariopsis 660
———. [Review of] De fungi van Nederland. De clavarioide fungi. Auriscalpiaceae, Clavariaceae, Clavulinaceae, Comphaceae 476
——. See Wolfe and Petersen 676
Peterson, Roger S. and Edgar Oehrens. Mikronegeria alba (Uredinales) 321
Pfister, D. H. and Geneva Sayre (eds). Cryptogams of the United States North Pacific exploring expedition; review 1312
Pfister, Donald H. Apothecial development in Cookeina tricholoma with comments on some related species 1253
Phialeoideae 1223
Photoresponses 645
Photosporogenesis in Exserohilum rostratum: influence of temperature and age of conidiophores in the terminal phase 538
Photosporogenesis in Exserohilum rostratum: temperature effects on sporulation and spore morphology 343
Photosynthate from host 926
Phylacteriaceae 710
Phyletic considerations of the Harpellales and Asellariales (Trichomycetes, Zygomycotina) and the Kickxellales (Zygomycetes, Zygomycotina) 944
Phylogenetic marker, Nigeran 1201
Phylogeny,
Peronosporales 598
Physciaceae 1247
Physiological groups in mycophilic fungi 150
Physiological studies on Phymatotrichum omnivorum VIII. Chemotaxonomic studies 1164
Physiology
Aspergillus 313

Chaetomium 160
Cryptococcus 397
Exserohilum 343, 538
Melanospora 300
Monascus 645
Myrothecium 19
Schizophyllum 481
Talaromyces 577
Trichothecium 47
Zalerion 406, 431
Phytophthora cajani, a new species causing stem blight on Cajanus cajan 171
Phytophthora palmivora: a comparative study of "typical" and "atypical" isolates from cacao (Theobroma cacao) 1101
Pifer, Linda. See Gunasekaran and Pifer 1164
Pilzkunde, ein kurzer Abriss der Mykologie, ed. 3; review 1302
Pine pitch canker 1131
Pitch canker, Fusarium 1131
Plant pathology and plant pathogens; review 703
Plasmodial incompatibility in the myxomycete Didymium nigripes 1249
Plasmodiophorales 41
Poelt, J. and A. Vežda. Bestimmungsschlüssel europaischer Flechten: Ergangungsheft I; review 911
Pohlad, B. R. and E. C. Bernard. A new species of Entomophthorales parasitizing tardigrades 130
Poly epsilon-caprolactone 87
Polypropylene vials for preserving fungi in liquid nitrogen 1122
Ponnappa, K. M. and Charles Gardner Shaw. Notes on the genus Ceriospora in India 859
Preliminary agaric flora of East Africa; review 476
Presidential address 707
Preserving fungi 1122
Prillinger, H. Genetische Kontrolle der Phenoloxydase "Laccase" des ascomyceten Podospora anserina; review 914
Proceedings of the Second International Mycological Congress, University of South Florida, Tampa, Florida, USA 27 August-3 September 1977 253
Production of cellulase by Talaromyces emersonii 577
Production of mushroom fruiting bodies on the surface of submerged cultures 179
Professor Anton DeBary 222
Protein production 160
Pseudocolus fusiformis: synonymy and distributional records 900
Pteridophytes
Asplenium 1258
Lycopodium 241
Pycnidial formation,
Botryodiplodia 605
Pycnidium production 176, 184
Pyrenomycetes 1030
Pythiaceae 384

Quevedo, R. A. See Sguros and Quevedo 431

Radiation effect
Botryodiplodia 605
Ramachar, P. and G. Bhagyanarayana. Critical comments on the spermagonia of Hapalophragmium ponderosum 863
Raper, Kenneth B. See Christensen and Raper 200
———. See Christensen et al. 332
———. See Sutherland and Raper 1173
Rattan, Sarjit, S. The resupinate Aphyllophorales of the North Western Himalayas; review 1309
Recent advances in medical and veterinary mycology; review 474
Recent progress in electron microscopy of cells and tissues; review 1311
Redhead, S. A. and L. K. Weresub. On Omphalia and Omphalina 556
Reilly, Charles C. and David Gottlieb. The respiratory physiology of Myrothecium verrucaria 19
Release of ascospores and asci from the perithecia of Ophioceras dolichostomum 895
Respiratory physiology of Myrothecium verrucaria 19
Resupinate Aphyllophorales of the North Western Himalayas; review 1309
Rhodophylloid fungi 527
Rich, Saul. External morphology of zoospores of Phytophthora parasitica var. nicotianae race 3 679
Robertson, Larry D. and Robert D. Koehn. Characteristics of the

cellulase produced by the ascomycete Poronia punctata 1113
Rogers, Glenna M. See Monoson and Rogers 1144
Rogers, J. D. and J. M. Bonman. A white variant of Caloscypha fulgens from northern Idaho 1286
Rogerson, Clark T. [Review of] Cryptogams of the United States North Pacific exploring expedition 1312, 1313
Rogers, R. F. See Hesseltine et al. 14
Role of marine fungi in the biochemistry of the oceans. VI. Interactions of Zalerion maritimum with the pesticides aldrin and dieldrin 431
Rosenberg, S. L. Cellulose and lignocellulose degradation by thermophilic and thermotolerant fungi 1
Royse, D. J. See Nene et al. 1315
Rubratoxin 196
Rudakov, O. L. Physiological groups in mycophilic fungi 150
Rust of soybean: the problem and research notes; review 704
Rust on Palmae 569

Saksena, S. B. See Pandeya and Saksena 876
Salinity tolerance of an isolate of Saprolegnia australis 1288
Sanuelson, Don A. and James W. Kimbrough. Asci of the Pezizales V: the apical apparatus of Trichobolus zukalii 1191
Sanders, P. L. See Burpee et al. 1281
Saprolegnia australis from Newfoundland 890
Sayre, Geneva. See Pfister and Sayre 1312
Scanning electron microscopic studies of Corticium rolfsii sclerotia parasitized by Aspergullus terreus 935
Schaab-Engels, C. See Claus and Schaab-Engels 478
Schmitt, J. A. See Jones and Schmitt 684
Schwalb, Marvin N. See Bromberg and Schwalb 481
Sclerotial formation 104, 849
Sclerotiniaceae XIII. An undescribed species on Berberis 61
Sclerotiniaceae XIV. Asterocalyx 68
Sclerotiniaceae XV. Additional species from India 76
Seaward, M. R. D. See Hawksworth and Seaward 1303
Seaver, Fred J. The North American cup-fungi (operculates); review 912
———. The North American cup-fungi (inoperculates); review 912
Secondary metabolites, Nectria 355
Sguros, P. L. and R. A. Quevedo. Role of marine fungi in the biochemistry of the oceans. VI. Interactions of Zalerion maritium with the pesticides aldrin and dieldrin 431
Shaw, Charles Gardner. Peronosclerospora species and other downy mildews of the Gramineae 594
———. See Ponnappa and Shaw 859
Shearer, C. A. Fungi of the Chesapeake Bay and its tributaries VII. Luttrellia estuarina gen. et sp. nov. (Ascomycetes) 692
———. See Crane and Shearer 866
Sherwood, Martha A. [Review of] Bestimmungsschlüssel europaischer Flechten: Ergangungsheft I 911
Shigemitsu, H., H. Kunoh, and S. Akai. Scanning electron microscopic studies of Corticium rolfsii sclerotia parasitized by Aspergillus terreus 935
Shotwell, Odette. See Hesseltine et al. 14
Siegel, Malcolm R. and Hugh D. Sisler. Antifungal compounds. Vol. 2. Interactions in biological and ecological systems; review 479
Simmons, Emory G. Proceedings of the Second International Mycological Congress, University of South Florida, Tampa, Florida, USA 27 August–3 September 1977 253
Sinclair, James B. See Dhingra and Sinclair 1314
Sinclair, J. B. See Ford and Sinclair 704
———. See Nene et al. 1315
Singer, Rolf. [Review of] A preliminary agaric flora of East Africa 476–477
———. [Review of] Identificacion de los hongos comestibles, venenosos y alucinantes 469
———. The Boletineae of Florida with notes on extralimital species; review 914
Singh, H. B. See Singh and Singh 1126

Singh, U. P. and H. B. Singh. Occurrence of Fusarium decemcellulare on living galls of Zizyphus mauritiana in India 1126
———, S. N. Vishwakarma, and K. C. Basuchaudhury. Acremonium sordidulum mycoparasitic on Collectotrichum dematium f. truncata in India 453
Sisler, Hugh D. See Siegel and Sisler 479
Sivanesan, A. The taxonomy and pathology of Venturia species; review 1310
Smith, Alexander H. See Mitchel and Smith 1040
Smith, D. C. What can lichens tell us about real fungi? 915
Smith, David M. See Keller and Smith 1239
Smith, Douglas R. See Burk and Smith 1258
Smith, John E. and John A. Pateman (eds.). Genetics and physiology of Aspergillus; review 914
Smith, Roger S. A new lid closure for fungal culture vessels giving complete protection against mite infestation and microbiological contamination 499
Some secondary metabolites from Nectria species 355
South Indian Agaricales IV. A new species of Psathyrella 1259
Sparrow, F. K. Two neustonic fungi 140
Sparrow, Frederick K. Professor Anton DeBary 222
Species of Ceratocystis closely associated with Endothia cankers on American chestnut in Eastern United States 853
Species of Uromyces that infect New-World Cucurbitaceae 1144
Spermagonia 863
Spermatophytes
Abies 392, 394, 420, 1041, 1286
Acacia 189
Acer 420, 977, 1026
Achrosia 1258
Alchemilla 388
Allium 398
Andropogon 42
Artemisia 332, 341
Arundinaria 42
Austrocedrus 322
Avena 44
Avicennia 1161
Berberis 61
Betula 977, 1026
Bruguiera 1160
Cajanus 171
Carya 977
Casuarina 991
Castanopsis 785
Chamaedaphne 458
Chamerops 903
Cladium 1152–1162
Cocos 991
Coleus 1263
Cornus 977
Cucumis 590
Cynodon 173
Digitaria 42
Echinochloa 42
Elettaria 859
Eleusine 44
Eragrostis 44
Eucalyptus 785, 791, 793, 798, 901, 903
Fagus 420, 977
Festuca 388
Flagellaria 1258
Fouquieria 266
Glycine 41, 42, 44
Guamia 1258
Hordeum 44
Ilex 189
Intsia 1258
Juncus 1153–1162
Larix 456
Ledum 458
Litchi 380
Lolium 44
Maianthemum 977
Mammaea 1258
Muhlenbergia 388
Nothofagus 322, 903
Nyssa 873
Ocotea 1031
Pandanus 1258
Parthenocissus 977
Pennisetum 44
Picea 420, 546, 1041
Pinus 35, 388, 392, 419, 420, 501, 964, 1041, 1132
Poa 44
Podocarpus 785, 791, 800
Polygonum 42
Populus 1040
Prunus 777, 977
Pseudotsuga 1041
Psidium 189
Punica 1261

Quercus 785, 799, 977, 1268
Rhizophora 1152–1162
Rhus 977
Sassafrass 977
Sequoia 964
Serenoa 784
Setaria 44
Sizygium 791
Smilacina 977
Solanum 173, 590
Solidago 42
Sorghum 44
Taxodium 873
Triticum 44
Tsuga 420
Viburnum 977
Vitis 977
Zea 41
Zizyphus 1126
Sphagnum bog 456
Spiegel, Frederick W. and L. S. Olive. New evidence for the validity of Copromyxa protea 843
Sporidial reproduction in Sorosporium consanguineum: wall ontogeny 814
Sporulation,
Cylindrocladium 614
Sporulation in Schizophyllum commune: changes in enzyme activity 481
Stability of hilum protuberance in Exserohilum species 547
Stahl, Ulf. Genetische Regulation der Fruchtkörper-Bildung bei höhern Basidiomyceten; monokaryotisches Fruchten bei Polyporus ciliatus; review 914
Staining fungi associated with Dendroctonus adjunctus in pines 35
Staining technique for nuclei of Rhizoctonia solani and related fungi 1281
States, Jack S. See Christensen et al. 332
Stem blight on Cajanus 171
Stirling, G. R. and R. Mankau. Dactyella oviparasitica, a new fungal parasite of Meloidogyne eggs 774
Storage of Epidermophyton floccosum at −22 C 899
Streptomycin effect
Pythium 880
Students of deBary 245
Studies in the lichen family Physciaceae. III. A new species of Phaeophyscia from Hawaii 1247
Study of factors affecting the synthesis of terpenes by Ceratocystis variospora 117
Substrate specificity and kinetic properties of NADP+-dependent alcohol dehydrogenase of Phycomyces blakesleeanus 586
Su, H. J. See Ko et al. 380
Sutherland, John B. and Kenneth B. Raper. Distribution of cellular slime molds in Wisconsin prairie soils 1173
Sutton, B. C. New and interesting hyphomycetes from Tampa, Florida 784

Talley, Michael R., Charles E. Miller, and James P. Braselton. Notes on the ultrastructure of zoospores of Sorosphaera veronicae 1241
Tampa, Florida, Hyphomycetes 784
Tardigrades 130
Taxonomic and nomenclatural study of the genus Amanita section Amanita for North America; review 474
Taxonomic significance of septal ultrastructure with particular reference to the jelly fungi 1007
Taxonomic survey of Nigerian rust fungi-Uredinales nigerianensis-I 1077
Taxonomy and pathology of Venturia species; review 1310
Techniques
Histochemical 527
Mite control 499
Nuclei staining 1281
Temperature effects
Exserohilum 343, 538
Fusarium 1133
Trichothecium 50
Termite-infesting fungus 1274
Termites et Champignons: Les champignons termitophiles d'Afrique Noire et d'Asie meridionale; review 468
Tewari, V. P. See Khare and Tewari 883
Thermophilic fungi 1, 906
Thermophilic fungi isolated from seaweed drift piles 874
Thermotolerant fungi 1
Therrien, C. Dale. See Peabody et al. 487

Thraustochytrids and labyrinthulids of terrestrial, aquatic and hypersaline environments of the Great Salt Lake, USA 1299
Tourneau, Duane Le. Inhibition of sclerotial formation of Sclerotium rolfsii by cadmium 849
Toxic and hallucinogenic mushroom poisoning: a handbook for physicians and mushroom hunters; review 701
Trichomycetes 944
Two additional species of Catenaria (Chytridiomycetes, Blastocladiales) parasitic in midge eggs 461
Two neustonic fungi 140
Two new Aspergillus nidulans group members from Wyoming soils 332
Two new species of Lamprospora from India 883
Two new species of Trichocladium (Hyphomycetes) from submerged wood 866
Type of Boletus fumosipes 676

Ulloa, M. and R. T. Hanlin. Atlas de micologia basica; review 1311
Ullrich, Johannes. Die mitteleuropäischen rostpilze der futter- und rasengräser; review 704
Ultrastructure
Corticium 935
Sorosphaera 1241
Tremella 1007
Ultrastructure of Cyathus stercoreus 1181
Ultraviolet light effect,
Phyllosticta 184
Urbanus, J. F. L. M., H. van den Ende, and Beatrix Koch. Calcium oxalate crystals in the wall of Mucor mucedo 829
Uredinales 321
Uredinales, host index, Nigeria 1084
Uredinales nigerianensis-I 1077

Van den Ende, H. See Urbanus et al. 829
Variation, distribution, ethnomycological data and relationships of Psilocybe aztecorum, a Mexican hallucinogenic mushroom 385
Variation in germination and spore morphology among four isolates of Glomus mosseae 1261
Variation in Trichophyton rubrum 847
Vesicular-arbuscular-mycorrhiza 821
Vežda, A. See Poelt and Vežda 911
Vishwakarma, S. N. See Singh et al. 453
Vitamin effect,
Cylindrocladium 619
von Arx, J. A. Pilzkunde, ein kurzer Abriss der Mykologie, ed. 3; review 1302
von Netzer, Ursula. Induktion der Primordienbildung bei dem Basidiomyceten Pleurotus ostreatus; review 913

Wall ontogeny 814
Wallace, Brenda and C. H. Dickinson. Peat microfungi in three habitats in the Florida Everglades 1151
Wang, D. I. C. See Chahal and Wang 160
Ward, J. C. See Larsen et al. 1217
Water stimulates Sphaerotheca 1035
Watrud, L. S., J. J. Heithaus, III, and E. G. Jaworski. Evidence for production of inhibitor by the vesicular-arbuscular-mycorrhizal fungus Gigaspora margarita 821
———, ———, and ———. Geotropism in the endomycorrhizal fungus Gigaspora margarita 449
Wellman, Frederick L. Dictionary of tropical American crops and their diseases; review 705
Weresub, L. K. See Redhead and Weresub 556
What can lichens tell us about real fungi? 915
White, Sherri-Le and David L. Largent. Histological and histochemical techniques applied to the rhodophylloid fungi 527
White variant of Caloscypha fulgens from northern Idaho 1286
Whitney, Kenneth D. A new species of Badhamia with unique spore clusters 672
Wiese, M. V. Compendium of wheat diseases; review 1316
Wild mushrooms, food and poison; review 704

Williams, F. J. See Amin et al. 171
Wisconsin bog fungus 456
Wisconsin soils, cellular slime molds 1173
Wolfe, Carl B. Jr. and Ronald H. Petersen. The type of Boletus fumosipes 676
Wong, Hin-chung and Yun-shen Bau. Morphology and photoresponses of fast-neutron and x-ray-induced strains of Monascus purpureus 645
Wood-inhabiting fungi of a freshwater stream in Rhode Island 1025
Worley, Ann C. See Christensen and Worley 456
Wyoming soil fungi 332

X-ray-induced strains 645

Yamada, Eichi, et al. (eds). Recent progress in electron microscopy of cells and tissues; review 1311
Yarwood, C. E. Water stimulates Sphaerotheca 1035
Young, Tom W. K. See Moss and Young 944

Zea mays, a new host for Ligniera junci (Plasmodiophorales) 41
Zearalenone 14
Zentmyer, G. A. See Idosu and Zentmyer 1101
Zentmyer, George A. See Baker et al. 913
Zoospores, Sorosphaera 1241
Zygomycetes 944, 1028
Zygomycotina 944

FUNGOUS TAXA INDEX

The Fungous Taxa Index includes genera, infrageneric taxa, species, the infraspecific taxa. New taxa and the pages where they are published are in bold-face type. An attempt has been made to correct mistakes in the spelling of scientific names where mistakes occur in the text. Synonyms are indicated by italicized page numbers. Illustrations are indicated by f preceding page numbers on which legends occur.

Absidia corymbifera 17; glauca 981; orchidis 981, 991; spinosa 980
Achlya 222, 226, 242; prolifera 233, f235
Acladium curvatum 157
Acremonium 640, 642, 643, 1028, 1155–1158, 1160; alternatum 154; butyri 154, 640, 643; crotociningenum 154; curvalum 1158; cymosum 154; diversisporum 980; domschii 154; hansfordii 154; minutisporum 980, 1157, 1158; murorum 981; persicinum 1158; sclerotigenum 1158; sordidulum 453, f 454; f sp **colletotrichumdematii 455;** tubakii 1157, 1158
Acrogenospora sphaerocephala 1028
Acrospermum cuneolum 514; ophioboloides 514
Acrotheca dearnessiana 514
Actinomucor elegans 156
Actinopelte dryina 1212
Actinothecium juglandis 514

Aecidium 1077; banketense 1978; caulicola 1081; crassocephali 1978; lini 514
Agaricus tribe Omphalia 556, 557; subg Clitocybe 567, 568; subg Clitopilus 567; subg Collybia 567, 568; subg Eccilia 567, 568; subg Geotropus 568; subg Gymnopus 567; subg Leptonia 567; subg Mouceron 568; subg Naucoria 568; subg Russula 567; subg Tapina 567, 568; sect Cortinaria 563; sect Geotropus 562; sect Gymnopus 563; sect Lepiota 563; sect Omphalia 562; sect Mycena 563; sect Omphalia 556; subsect Maiores 564; adustus 561, 567; amethysteus 567; androsaceus 567; ardosiaceus 567; bisporus 1122; brunnescens 180, 183, 636–644, 1240; callophyllus 567; campanella 558, 563, 564; campestris 180; capillaris 561; cervinus 567; chry-

soleucus 558, 564; cochleatus 557; collinitus 563; cupularis 567; cyanipes 567; cyanophyllus 562; cyathiformis 557, 563, 564, 568; var macrocyathus 557; cyathodes 568; cyathoides 557; dicolor 568; difformis 568; dryophilus 568; elixus 568; epiphyllus 568; epichysium 558, 564, 565, 568; ericetorum 556, 558–561, 565; var flavogrisella 560; expallens 568; farinaceus 568; fibula 558, 564; fimbriatus 568; var lobatus 568; foetidum 563; fragilis 568; fragrans 557, 568; furfuraceus 568; fusco-purpureus 568; gibbus 568; gilvus 568; hirneolus 568; hydrogrammus 558, 562, 568; infundibuliformis 562; infundibulum 563; involutus 568; laccata 568; lobatus 568; metachrous 568; muscorum 564; nigrella 568; nivalis 568; niveus 559; perforans 567; phyllophilus 568; politus 568; prunulus 568; pseudo-androsaceus 559; pyxidatus 558; 564, 565, 568; rotula 568; serrula 568; serrulatus 567, 568; splendens 568; squamulosus 568; streptopus 568; tardus 557, 563, 564, 568; tigrinus 557; trichaeus 568; truncatus 558, 568; umbelliferus 558, 559–561; venosus 568; virgineus 568

Alatospora acuminata 423, 424, 427

Alboleptonia 531–535; sericella var lutescens 528, 531, 533; var sericella 528, 531, 533

Albugo 227, 598, 601

Aleurodiscus 227

Allescheria terrestris 3, 6, 8, 9

Allophylaria 1224, *1232*, 1234

Alternaria 17, 157: alternata 544, 640, 1158; dauci 352, 539; passiflorae 352; porri 352; solani 352; tenuis 371, 373; tomato 352, 539, 545

Amazonia 995; psychotriae 998; scaevolae 998; wikstroemiae 998

Amblyosporium botrytis 156

Amoebidium parasiticum 944, 946, 953

Ampelomyces 152; quisqualis 154

Amphisphaeria pelorospora 514

Anguillospora 969, 970, 1158; crassa 423, 1028; longissima 423, 424, 427, 1028; pseudolongissima 965, 1028, 1031

Aniptodera 696

Antennopsis 1277, 1279; gallica 1278; gayi 1278; grassei 1278

Anthina pallida 233

Anthostoma peckii 514

Anthostomella longispora 514

Anthurus javanicus 902; trifidus *900*, 902

Aphanocladium album 980, 985

Apiospora montagnei 1158

Aplanochytrium 1300

Apodachlya 363, 367, 368

Apodachlyella 368

Aposphaeria caespitosa 156

Apostemidium 1030; guernisaci 1030

Arachniotus aureus 1155, 1156, 1158

Arcyria 1284; nutans 1284; **obvelata 1286**

Armillaria albolanaripes 1053, 1054; pitkinensis 1053, 1054; fusca 1053; mellea 309, 487–498, f 490; straminea var americana 1054

Arnaudovia hyponeustonica 147

Arthrinium 1158

Arthrobotrys 1028; cladodes 1087, 1090, 1091, 1094, 1098; conoides 1087, 1090, 1091, 1093, 1094, 1098; dactyloides 1087, 1090, 1091, 1093, 1094; musiformis 302, f 307, 308, 309; oligospora 640, 1087, 1090, 1091, 1093–1095; superba 640

Arthropyrenia fallax 921

Articulospora tetracladia 423, 424

Artotrogus hydnosporus 243

Aschersonia carpinicola 514

Ascobolus 242

Ascochyta 1158; achlydis 514; conicola 514; leonuri 514

Ascozonus 1192; woolhopensis 1198

Asellaria ligiae 947, 953

Aspergillus 227, 638, 935, 951, 1158, 1161, 1202–1211; aculeatus 1202, 1204, 1207, 1208; aeneus 341; alliaceus 204, 205; asperescens 1204; aurantiobrunneus 341; awamori 89, 1202, 1204, 1207; **bicolor 327,** f 335, f 338, f 339, 341; candidus 204, 1203, 1204, 1208; carbonarius 1204, 1207; carneus 309; crustosus 336, 337, 341; dimorphicus 204; eburneocremeus 336, 341; ellipticus 1204; ficuum 1204; fischeri 640, 642; flavo-furcatis 1204; flavus 15, 17, 104–116, 313–320, 640, 642, 643, 766, 767, 769, 772, 1158, 1164, 1204; foetidus 1204; fonsecaeus 769; fumi-

gatus 3, 6, 9, 10, 156, 161, 639, 640, 642, 766, 875, 1158, 1202, 1204; glaucus 17, 769, 1164; heteromorphus 1204, 1207; heterothallicus 336, 337, 341; janus 1203, 1204; japonicus 1204; lanosus 205; multicolor 336, 341; nidulans 332–342, 766, 1204; var acristatus 341; var nidulans 337; niger 17, 156, 204, 640, 642, 766, 1202, 1204–1208; ochraceus 200–205, 640, 642; oryzae 766, 769; parasiticus 15, 104–116, 766–773; phoenicis 1204; pulverulentus 1204; pulvinus 1204; puniceus 92, 93, f 94, 95–99; purpureus 337; **robustus 200**–205, f 201, f 203; rugulosus 309, 341; sojae 766, 769; **spectabilis 333**, f 334, f 335, f 336, 337, 341; striatus 337; sydowi 1204, 1206–1208; terreus 640, 642, 643, 835–943, f 936, f 938, f 939, f 940; tubingensis 1204; ustus 92, 93, f 94, 95–100, f 101, 102, 1158; varians 1204; variecolor 341; versicolor 1204, 1207, 1208; virens 156; violaceus 337

Asterella fraxinina 514

Asteridiella 995, 996; cheirodendronis 998

Asterina 995; fumagina 514; killipii 514

Asterocalyx 68–75, 1225; **ecuadorensis** f 71, **72**, f 73; mirabilis 68, 69, 72, 74

Asterostroma muscicolum f 284, 285, f 288, 297

Astreptonema gammari 946

Athelia 1283; decipiens 268, f 270, f 271, 297

Atractilina callicarpae 514

Aureobasidium 150; pullulans 156, 1158

Aylographium onocleae 514

Aureobasidium pullulans 980

Bacillus 649, 658

Bactrodesmium 795; cedricola 795; obliquum 795; papyricola 795

Badhamia 672–675; **bispora 672**, f 673, 674; decipiens 675; nitens 674; versicolor 674

Baeospora myosura f 467

Bagnisiopsis eucalypti 514

Ballocephala **pedicellata 131**, 133, f 133, 135, f 135, f 137; sphaerospora 133, 135, 138

Basidiobolus haptosporus 1123

Basidiophora 598, 599; butleri 602; entospora 602

Battarraea laciniata 690; phalloides 689–692, f 691

Beauveria bassiana 157, 980, 985, 990, 991

Belonidium culmicolum *1226;* macounii 514; moliniae *1226*, 1231; spiraeae 514; vexatum 1226, 1229–1231

Belonioscypha 1223–*1230*–1238; culmicola 1224; vexata *1226*

Belonium 68; subgibbosum *1226*

Beltrania 798; rhombica 784

Berkleasmium 795

Bifusella abietis 514

Bipolaris 547; micropa 554; sorokiniana 554

Bispora 1028

Bisporella 1224

Blakeslea trispora 830

Blastomyces dermatitidis 811

Bolbitius 527

Boletinellus 1065, 1069, 1073; merulioides 1065, 1069

Boletopsis smithii 1055

Boletus 1065, 1068, 1073; amygdalinus 1065, 1068; appendiculatus 1065, 1068; chrysenteroides 676–678; chrysenteron 1065, 1068; edulis 1065, 1068; fumosipes 676–679, f 678; mirabilis 1065, 1068, 1073, 1074; piedmontensis 1267, 1268; piperatus 1065, 1068, 1074; pulcherrimus 1065, 1068; rubripes 1065, 1068; satanas 1065, 1068; var americanus 1268; smithii 1065, 1068; spadiceus 1065, 1069, 1074; subtomentosus 1065, 1069; truncatus 1065, 1069; zelleri 1065, 1069

Brachysporium nigrum 1028

Botryodiplodia compressa f toxicodendri 514; theobromae 605–613, f 610

Botryotrichum piluliferum 640, 643

Botrytis 150: cinerea 151, 157, 640; epichloes 514; gonatobotryoides 155; tephroidea 157; vera 155

Botryoxylon geniculatum 154

Bremia 598, 600; graminicola 602; var indica 602; lactucae 600

Bremiella 598, 59[illegible], 602

Caeoma espinosae 321, 323, 324, *325;* torreyae 329

Caesaresia sphagnorum 1027, 1028, 1031

Calcarisporium antibioticum 154; arbuscula 154; griseum 154; parasiticum 370
Calocybe onychina 1042, 1048
Calonectria 615, 618, 1030; nivalis 619; rigidiuscula 1128
Caloscypha fulgens 1286, 1287
Calycella 1224; culmicola *1226*
Camarosporium astericolum var latispora 514; betulae 514; ceanothi 514; ulmi 514
Candelabrum 789
Candida 640; 805; albicans 684–689, 802–805, 811; guillermondii 685; krusei 685; parapsilosis 685; solani 685; tropicalis 589, 685; zeylanoides 685
Cantharellus 669, 707–709, 730; subg Leptocantharellus 743; subg Phaeocantharellus 743; appalachiensis 710, 744, f 745, 746; borealis 731; brevipes *713;* cibarius 710, 730, 736, 746, f 747, 748; var albipes 748; cinereus *722*, 723; cinnabarinus 710, 748, f 749, 750, 751, 754; clavatus *713;* convolvulatus 744; delitescens 709, 730, 731; floccosus *715;* friesii 754; ignicolor 710, 741, f 742, 743; infundibuliformis 710, 740, 741, 744; var nigricans 741; kauffmanii *717;* lateritius 710, 735, f 736; **luteocomus 733,** f 734, 735, 743, 1129; lutescens 710, *731*, 735; minor 710, 750, f 751, 754; multiplex 710, *711*, 712; f 752; odoratus 736; sphaerosporus 710, 737, f 737, 738; subperforatus 710, 741, 743, 744; tubaeformis 710, 733, 738, f 739, f 740, 741, 743, 744; xanthopus 709, 731, f 732, 733–735, 743
Carouxella 958; scalaris 947
Carpenteles javanicum 1208
Catathelasma 1055; **singeri 1054**, 1059
Catenaria 782; **ramosa 463**, f 463, f 464, 465, 466; spinosa 461, 465, 466; **uncinata 461**, f 462, 465, f 465, 466
Catinula 1030
Cenangium griseum 514
Cephalosporium 1160; 1161; sacchari 1141
Cephalotheca 1158
Ceratobasidium anceps 1281; cornigerum 1281, f 1282; ramicola 1281
Ceratocystis 35, 1201, 1202; **adjuncti 35**, f 36, f 37, 38, 40; castaneae f 857; **eucastaneae 856**, f 857, 858; fagacearum 309; fimbriata 117; gossypina 858; ips 38–40; microspora 853–855, f 854, 856, f 857, 858; montia 39; perparvispora 855; pilifera 502, 507, 799; stenoceras f 857, 858; ulmi 309; varispora 117–129
Ceratostomella ampullasca 897; microspora 854, 855
Cercospora argythamniae 514; caricina 514; caricis 514; chenopodii var micromacula 514; cryptotaeniae 514; cypripedii 514; epigaeae 514; halesiae 514; gerardiae 514; ichthyomethiae 514; lathyri 514; lespedezae 514; microstigma 514; namae 514; phaseoli 514; pontederiae 514; smilacina 525; streptopi 514; umbrata var maculata 514
Cercosporella aceris 514; alni 514; dearnessii 525; lilii 514; ontariensis 525
Ceriospora 859–862; acaciae 859, 861; arecae 859, 861; bicalcarata 861; dubyi 859, 861; **elettariae** f 860, **861**; fuscescens 861; lantanae 859, 861; palmicola 861; prinsepiae 859, 861
Ceropsora 328–330
Cerradoa 569–576, f 572; **palmaea** 569, **570–576**, f 571, f 573
Ceuthospora 1158; caryae 514; populi 515
Chaetomella raphigera 981
Chaetomium 696, 1030, 1031, 1158; cellulolyticum 160–170; cochlioides 155; funicolum 1158; globosum 161, 309; olivaceum 639, 640, 643; subaffine 640; subspirile 981; thermophile 8, 577; var coprophile 3, 6, 577, 578; var dissitum 3, 6, 577, 578
Chaetopsina ramifera 785
Chalara longipes 785
Chantransiopsis 1277
Chionosphaera apobasidialis 1015
Chlamydomyces palmarum 569
Chloridium chlamydosporum 980; indicum 798
Chlorociboria 1224
Chloroscypha 68
Chorioactis 1256; geaster 1256
Chromelosporium fulvum 639, 640, 642, 643
Chrysocelis 329

Chrysosporium 459; 1156, 1158; luteum 639, 643; pannorum 980; pruinosum 3, 6, 9, 10
Ciboriopsis 61
Cicinnobolus major 515
Cintractia axicola 1979
Circinotrichum olivaceum 785
Cladobotryum binatum 154; verticillatum 154
Cladosporium 17, 150, 309, 1161; acutum 515; aecidiicola 156; balladynae 156; cladosporioides 640, 980, 1156, 1158; elegantulum 156; epichlois 156; epimyces 156; herbarum 156, 640, 642, 643; myriosporum 515; piricularioidis 515; salicissitchensis 515; sarraceniae 515; secedens 156; sphaerospermum 1158; subsclerotioideum 515; tranchelii 156; umbrinum 156
Clathrus denudatus 1284
Claudopus 532, 535; byssissedus 528, 531, 533, 534
Clavaria 660–671; subg Clavaria 660; 666; subg **Clavulinopsis 667;** subg Holocoryne 661, 666; subg Ramariopsis *667;* sect Holocoryne *666;* acuta 661, 666, 667; argillacea 661, 667; asperulospora 666; atrofusca 666; atroumbrina 666; californica 661; 667; corniculata 663, 667, *668;* cretacea 666; depokensis *668;* dichotoma *668;* falcata 666; filipes 666; fragilis 666; fumosa 661, 666; fuscata 666; fusiformis *668;* helvola *669;* holmskjoldii *668;* inaequalis 661, 666; incarnata 667; kunzei 669; laeticolor *668;* luteostirpata 667; nebulosoides 666; neonigrita 661, 666; purpurea 666; rubicundula 666; rufobrunnea 666; rosea 666; **subaustralis 667;** subfalcata 667; subtilis *668;* **sulcata 667;** umbrinella *668;* vermicularis 660, 661, 666; zollingeri 661, 666
Clavariadelphus 662, 666, 668, 669
Clavariopsis 969, 970, 972; aquatica 423, 424, 427, 967
Claviceps purpurea 897
Clavulinopsis 660–665, *666, 667*–671; subg Acularia 661, *667, 669;* subg Clavulinopsis 661; subg Paraclavaria 662, 663, *667;* sect Clavulinopsis 661; sect Cornicularia 661, *667;* amoena 662, 667; appalachiensis 667; archeri 663, 667; aurantiocinnabarina 661, 662, 667; corallinorosacea 661, 667; corniculata 661, 662, 664; fusiformis 661, 662; gracillima 663, 667; helvola 661, 665; laeticolor 661, 662; luteo-alba 663; luteo-tenerrima 667; maricola 663, 667; microspora 662; spiralis 661, 667; subaustralis *667;* subtilis 665; sulcata 661, *667;* umbrinella 664
Clitocybe 565; chrysoleucus 567; clavipes 1124–1126; muscorum 568
Coccomyces rubicola 515
Cochliobolus sativus 987, 1158
Codinaea fertilis 1157, 1158
Coemansia f 948, 958, 960; aciculifera 949, f 951, 953, f 955; mojavensis f 952; reversa 945, 951, 958, 960, 961
Coleosporium 329
Colletogloeum fouquieriae 266
Colletotrichum coccodes 987; dematium 453, 524; f truncata 453, 454, f 454; vermicularia 515; viciae 515
Collybia confluens 1041–1043; longipes 1047; **pinastris** 1042, **1044,** f 1058
Colus garciae 901; javanicus 901, 902
Coniochaeta 696
Coniosporium parasiticum 515; subcorticale 515
Coniothecium eriodictyonis 515
Coniothyrium bartholomaei 515; crescenticum 515; minitans 942
Conocybe 527
Cookeina 1253; institia 1255; tricholoma 1253–1257, f 1254, f 1256; venezuelae 1255
Coprinus 491; atramentarius 1056, 1125; cinereus 640, 642, 643; congregatus 640, 643; heptemerus 344; papagoensis f 284, 291, f 292, 297
Coprobia f 922
Copromyxa 843–847; arborescens 843, 844, *846;* protea 843–847, f 845
Coprotus 1192
Cordana pauciseptata 981
Coreomycetopsis 1279; oedipus 1278
Cornicularia *667*
Cornularia harpographoides 515; populi 515
Corticium 269, f 270, f 271, 297; 935, 960; olivascens 1123; radiosum 945; rolfsii 935–943, f 938, f 939, f 940

Cortinarius 1074; trivialis 1041
Coryneum cinereum 515; cydoniae 515; microstictum var foliae 515; pithoideum 515; thujinum 515
Craterellus 708, 709, 719; subg Pseudocraterellus 719; albomarginatus 720, 721; caeruleofuscus 709, f 724, 725, 730; calyculus 709, 720, 721; cantharellus *735*, 737; carolinensis 720, 721; cinereus 709, 722, f 722, 723, 724; var cinereus 724; var multiplex 724; clavatus *713;* cornucopioides 719, 728, 730; crispus 720, 721; delitescens *730;* dubius 709, 729, 730; fallax 709, 719, 727, f 728, 729, 730; foetidus 709, 724, 726, f 726, 727; heslerii 720, 721; lateritius *735;* multiplex *711;* ochrosporus 728, 729; pusillus 721; sinuosus 721, 725; subundulatus 709, 720, 721; venosus 724
Crepidotus herbarum 268
Cristinia **sonorae** f 270, **271**, 272, f 273, 297
Crossopsora perscita 1078
Cryptococcus 805, 1008, f 1011, 1014, 1018; albidus 1014; laurentii 458, 1015; neoformans 397–405, 802, 803, 811, 1014
Cryptophiale 798
Cryptospora humeralis 515; leiphaemoides 515
Cryptosporium boycei 515; falcatum 515; robinae 515
Cucurbitaria ceanothi 515
Culcitalna 866
Cunninghamella 1028, 1031
Curreya corni 515
Curvularia 1158; eragrostidis 785; geniculata 981: lunata 1158; senegalensis 786
Cyathicula 1223–1238; coronata *1232*, 1234; **culmicola** *1226*, f 1228, 1230, **1231**, 1235; cyathoidea 1224; helios 1224
Cyathus stercoreus 1181–1190, f 1183, f 1184, f 1186, f 1187, f 1188
Cylindrium cordae 157
Cylindrocarpon obtusisporum 156
Cylindrocephalum stellatum 157
Cylindrocladium 614–635, 1160; avesiculatum 616, 619, 626, 627, 632, 633; citri 616, 620, 624, 626, 627, 629, 630, 633; clavatum 633; crotalariae 615, 616, 620, 621, 624, 626, 627–629, 632, 633; ellipticum 616, 632; floridanum 615, 616, 619, 620, 621, f 623, 624, 626, 627–630, 632–634; heptaseptatum 616, 626, 632, 633; ilicicola 616, 620, 624, 626, 627, 629, 630, 632, 633; macrosporum 616, 620, 624, 626, 627, 629, 633; parvum 616, 620, 621, 624, 626, 627, 629, 630, 632, 633; penicilloides 616, 620, 624, 626, 627; pteridis 616, 626, 632, 633; quinqueseptatum 616, 626, 632, 633; scoparium 614–616, 619–622, 624–627, 629, 630, f 631, 632, 633, 1158; var brasiliensis 616, 624, 626, 627; theae 616, 632, 633
Cylindrophora alba 154
Cylindrosporella alnea 517
Cylindrosporium artemisiae 515; brevispina 515; chrysanthemi 515; consociatum 515; fraxinicolum 515; longisporum 515; sibiricum 515; spigeliae 515; urticae 515
Cystothyrium abietis 515
Cytispora pruni 515
Cytodiplospora parallela 515

Dacrymyces deliquescens 1008, 1009, f 1010; minor 268; stillatus 1009
Dacryopinax spathularia 268
Dactylella aquatica 423, 424; helminthodes 778; leptospora 778; **oviparasitica** f 775, f 776, **777**–783; passalopaga 778; spermatophaga 778
Dactylium 158; boletorum 154; dendroides 151, 154
Dactylomyces crustaceus 578
Darluca filum 154
Dasyscyphella 68
Dasyscyphus 1230; virgineus 1030
Davincia 1224, 1231, *1232*, 1234, 1235; helios 1231
Dearnessia apocyni 515
Dendrodochium acerinum 515
Dendrophoma azaleae 515; poarum 515; syringae 515; variabilis 515
Dendrospora 1028
Dendrostilbe ulmi 516
Dendryphium brunneum 516
Desmella f 572, 573, 574; superficialis f 573, 573
Desmellopsis 573; aframomicola *575*
Diaporthe ailanthi var viburni 516; artospora 516; binoculata var cleth-

rae 516; euonymi 516; exiguestroma 516; macounii 516; menispermi 516; minuta 516; ostryae 516; triostei 516; tuberculosa var pruni 516
Diatrype 356
Diatrypella minutispora 516; palmicola 861, 862
Dichaena pyri 516
Dichomera clethrae 516
Dicksonomyces sorghi 599
Dictyoarthrinium 788
Dictyophora indusiata 1258; var typica 1258; f aurantiaca 1258; multicolor 1258, 1259; var laeticolor 1258
Dictyostelium 640; discoideum 1177; giganteum 1175–1184; lacteum 1177; minutum 1173; mucoroides 242, 1173–1180; polycephalum 1177; purpureum 1173; rosarium 1177; sphaerocephalum 1175–1184
Didymella agrostidis 516; wehmeyeri 516
Didymium f 1240; iridis 1249; nigripes 1249–1253
Didymocladium ternatum 154
Didymopsis helvellae 154
Didymosphaeria housei 516; thalictri 516
Didymostilbe 1028
Dimerium juniperi 516
Dimeromyces 1279; isopterus 1277, 1278
Dimerosporium abietis 516; tsugae 516
Dinemasporium corrugatum 516
Diplocladium 158; majus 154; minus 154; penicilloides 154
Diplodia constricta 516; convolvuli 516; nuttalliae 516; ovulariae 525; subcuticularis 516; thalictri 516; ulmi 516; zeae 309
Diplodina macrospora 516
Diplodiopsis robiniae 516
Diplosporium flavidum 516; polypori 516
Dipsacomyces 958; acuminosporus 946, 960
Discocella nectrioidis 516
Dispira cornuta 308
Donkella 663, 665, *667*, *668*
Doratomyces 1158; microsporus 639, 640, 642; purpureofuscus 640, 643; stemonitis 980
Dothidella caricina 516; castanopsidis 516; vacciniicola 516
Dothiorella canadensis 516; hicoriae 516; scopulina 516; smilacina 5 1
Drechslera 1158; halodes 1158
Echinobotryum atrum 155; rubrum 155
Echinodontium tinctorium 1218–1222
Echinostelium minutum 192–196
Ectostroma polypori 156
Edythea f 572, 573, 574; quitensis f 573; tenella 573
Embolus 1284; obvelatus 1284, f 1285, *1286*
Emericella **bicolor 337**, 340; desertorum 336, 337; **spectabilis 333**, 336
Emericellopsis minima 1155–1158
Empusa planchoniana 208; thaxteriana *209*
Endocalyx melanoxanthus 786
Endomyces geotrichum 373; reessii 152
Endophragmia boewei 786; boothii 787; dimorphospora 787; hyalosperma 1028, 1031
Endothia parasitica 853–856, 858
Enterobryus 953
Entoloma 528, 531, 533, 535; sect Nolanidei 528, 531, 533–535; sect Trachyosporum 528, 531, 533, 535; sect Typodochroa 535; jubatum 527; nidorosum 528, 531, 533–535; rhodopolium 527; sericeum 527; speculum 528, 531, 533–535; trachyosporum 528, 531–535
Entomophaga 209; thaxteriana *210*
Entomophthora 208, 640, 781; ignobilis 209, 210; muscae 209; planchoniana 209, *210*; thaxteriana 208, 209, *210*
Entyloma arnicale 516; circaeae 516
Epicoccum 17, 638; purpurascens 640, 642, 643
Epidermophyton floccosum 899, f 899
Erysiphe 227; cichoracearum 1035, 1037 f cucurbitacearum 152; graminis 1035, 1037; polygoni 1035, 1037, 1038
Escherichia coli 688, 811, 844, 1174
Europhium 1202
Eurotium 227, 242
Euryachora neowashingtoniae 516
Eutypella staphyleae 516
Exidia 1008, 1015; glandulosa 1008, 1009, f 1010
Exidiaceae 1016
Exidiineae 1016
Exoascus aceris 516
Exosporium betheli 516; rhoina 517
Exserohilum 343, 547–555; halodes 344, 352; monoceras 548; pedicellatum 353, 544, 548, f 550, f 551, 552–554; rostratum 343–354, f 347, 538–546,

548, f 549, 550, f 551, 551, 553, 554; turcicum 352, 548, f 549, 550, 551, f 551, 553

Flagellospora 423, 424, 427
Filobasidiella bacillispora 1014; neoformans 1014, 1015
Filobasidium capsuligenum 1014; floriforme 1014, 1015
Flagellospora 1029
Flosculomyces 788–790; **floridaensis 789**, f 790, f 793
Fomes fomentarius 1218–1222
Fomitopsis pinicola 1218–1222
Fuligo septica 356
Fusarium 153, 300, 301, 303, 309, 343, 352, 370–379, f 372, f 374, f 377, 638, 1131–1143, 1155–1158, 1160, 1161; agaricorum 155; aquaeductum 658; avenaceum var aecidiitusilaginis 157; coeruleum 57; decemcellular 1126–1129, f 1127; epistromum 157; equiseti 1134, 1135; expansum 157; gleditsiaecolum 517; graminearum 165, 1134, 1135; heterosporum var pucciniophilum 154; lateritium 1135, 1141; f sp pini 1132; macounii 517; moniliforme 157, 1132, 1135; var subglutinans 1132–1143, f 1136; nivale 154, 352, 538; oxysporum 151, 1128, 1132, 1135; var mycophylum 157; var peckii 154; f lycopersici 309; phacidioideum 517; roseum 302, 303, 309, 641, 1283; sacchari 1142; var subglutinans 1140, 1141; semitectum 157, 1134, 1135; solani 92, 93, f 94, 95–100, f 101, 102, 641–643, 1134, 1135, 1158; tricinctum 1134, 1135, 1283; ulmicola 517
Fusidium 1158; rhodospermum 155; stilbophilum 152–154
Fusoma rubricosa 517

Gaeumannomyces graminis 897
Galerina 527
Ganoderma applanatum 1220; oregonense 1123
Gelasinospora calospora 981
Genistella 958
Genistellospora 958; homothallica f 950, 953, f 955
Geotrichum bipunctatum 155; candidum 641–643, 1029, 1031
Gerronema 565, 669, 708
Gibberella baccata 1141; fujikuroi var subglutinans 1133–1143, f 1139; zeae 14–18, 1134
Gigaspora margarita 449–452, 821–828
Gilmaniella 1157, 1158; humicola 641, 643
Gliocephalis 1029
Gliocladium 158, 1155, 1160; album 154; deliquescens 1158; fimbriatum 155; penicilloides 154; roseum 153, 155, 641, 643, 1156, 1158; virens 1158; viride 155
Gliomastix 641, 643, 1155, 1156, 1158; murorum var polychroma 1158
Gloeophyllum trabeum 502–504, 506, 507
Gloeosporium acutiloba 517; ailanthi 517; alnicola 517; bartholomaei 517; betae 517; betulae-papyriferae 517; bowmani 517; carpinicolum; castanopsidis 517; chamaedaphnis 517; confluens 517; crataegi 517; falcatum 517; hydrophylli 517; hysterioideum 517; ilicis 517; lappae 517; lathami 517; melleum 517; multipunctatum 517; oblongisporum 517; papulatum 517; polygoni 517; saururi 517; veronicae 517
Glomerella cingulata 799
Glomerularia corni 513
Glomus mosseae 1261–1267, f 1264, f 1266
Gloniella parvulata 517; vaccinicola 517
Gloniuna pruni 517
Glotzia 955, 958
Gnomonia artospora 516; papillostoma 517; rubi 897; setacea var caryae 517; triostii 516; waldsteiniae 517
Gnomoniopsis acerophila 517
Godronia 68
Gomphus 669, 708, 709, 712; subg Excavatus 715; subg Gomphus 713; clavatus 709, 712–714, f 714, f 752; floccosus 709, 715, f 715, 716–719, f 753; f cystidiophora 715; f floccosus 716; kauffmanii 709, 717–719, f 717, f 753
Gonatobotrys simplex 303, 370, 371, 373
Gonatobotryum fuscum 308, 370
Gonatorrhodiella highlei 303, 370
Gonimochaete horridula 133, 135
Goplana 329, 330
Gorgoniceps 68
Gongronella butleri 980
Graminella 958

Graphium 1029; sessile 517
Guignardia boltoniae 517; caricis 518; lonicerae 517; pleurothallis 517; smilacinae 518
Guttulina protea *846*
Gymnosporangium libocedri 323
Gyroporus 1065, 1069, 1073; castaneus 1065, 1069
Gyrothrix microsperma 791

Haasiella 565
Halosphaeria mediosetigera 415
Hapalophragmiopsis 864, 865
Hapalophragmium 865; ponderosum 863–865, f 864
Haplographium fuscipes 154; smilacis 517
Haplosporella amygdalina 517; burnhami 517; dulcamara 517; lathami 517; rhoina 517; staphylina 517
Harpella f 956, 958, 960
Helicia buccina 517
Helicocephalum 782
Helicomyces ambiguus 1029
Helicoon sessile 1029, 1031
Heliscus lugdunensis 423, 424, 427, 1029, 1032
Helminthosporium 17, 547; catenarium 538; dictyoides 344; lumbricoideum 517; maydis 553; monoceras 548; naviculatum 518; parasiticum 156; phomatae 518; repente 518; rostratum 344, 548; sativum 151, 152; stromatoideum 518; turcicum 352, 548, 553, 554
Helotium 85; apostata *1226*, 1231; culmicolum *1226*
Hemibeltrania navicularis 791
Hemileia 329, 574; coffeicola 573
Hendersonia discosioides 518; grantii 518; ostryigena 518; pinicola 518
Henningsomyces candidus 268
Herpomyces 1013
Herpobasidium 329
Herpotrichia graminea 518
Heterosporium echinulatum 352; laricinum 518; tropaeoli 352
Hirneola auricula-judae 1008, 1009, f 1010
Holocoryne *666*
Hormiscioideus 1275, 1279; **filamentosus 1275,** f 1276
Hormiscium 1277; scriptum 156
Hormodendrum dermatitidis 803

Humicola 1158; alopallonella 416; grisea var thermoidea 3, 6, 577, 578, 641, 642, 906–910; insolens 3, 6, 8, 577, 578, 906–910; lanuginosa 3, 6, 577, 578, 906–910; stellata 577, 578
Hyalina 1030, 1031
Hyaloceras hamamelidis 518
Hyalopus mycophilus 154
Hyalotricha 1030
Hygrocybe 754
Hygrophorus 1055
Hymenoscypha culmicola *1226*
Hymenoscyphus 85; caudatus 85; crocatus 85
Hyphoderma **fouquieriae** f 270, **272,** f 273, 274, 275, f 276, 297
Hyphodontia sambuci f 270, 275, f 276, 277, 297
Hypoderma hedgcockii 518; lethale 518
Hypodermella medusa 518; montivaga f concolor 518
Hypogymnia physodies 930
Hypomyces 569
Hypospila californica 518
Hysteropsis guajava 518

Icmadophila f 922
Irenopsis 995
Isaria 945, 960
Isariopsis dearnessii 518
Isthmospora 788

Keissleriella 547
Kellermannia major 518
Kickxella f 956, 958, 959; alabastrina 949, 953, 960
Klebsiella pneumoniae 193

Laboulbenia 1279; feliciscaprai 1278; germinata 1278; hageni 1278
Laboulbeniopsis 1279; termitarius 1274, 1277, 1278
Labrella cellastri 518
Labyrinthula 1297–1300; algeriensis 1297, f 1298
Labyrinthuloides 1299; minuta 1300; yorkensis 1300
Lachnella alboviolascens 283, f 284, f 286, 297
Lactarius controversus 1041
Laestadia biennis 518; caricis 518; galactina 518; smilacinae 518
Laeticorticium **lombardiae 206**–208, f 207; roseum 206–208

Lambertella 66, 76, f 77, f 79; berberidis 66, 84; tropicalis 80
Lamprospora 883–888; ascoboloides 883, 887; crec'hqueraultii 883; **irregulariata** f 884, **885,** f 886; lobata 883, 885; spinulosa var magnispora 883; tuberculata 883; **varanasiensis** f 884, **885,** f 886, 887
Lanzia 61, 80, f 81, f 82, 84; berberidis 66; glandicola 66; **parasitica 61,** f 62, f 64, 66, 84; thindii 66, 84; viburni 66, 84
Lasiobolus 1192, 1199; monascus 1199
Leccinum 1065, 1069, 1073, 1074; largentii 1065, 1069; manzanitae 1065, 1069
Lemonniera 969, 970, 972; aquatica 423, 427, 967
Lentaria 662, 666, 668
Lentinus cochleatus 567; lepideus 502–506; tigrinus 568
Lenzites trabea 505
Leotia 1223
Leptographium 35, f 37; **pyrinum** f 36, f 38, **39,** 40
Leptolegnia 243
Leptomitus 368; lacteus 363–369
Leptonia 528, 530, 533, 535; subg Leptonia 528, 530, 532, 533; subg Paludocybe 528, 530, 532, 533; sect Albidicaules 528, 530, 533; sect Caesiicaules 530, 533; sect Cereicaules 528, 530, 533; sect Chromocystoteae 528, 530, 533; sect Lepidocybe 528, 530, 533; sect Paludocybe 528; atrosquamosa 530, 533; var atrosquamosa 528; convexa var convexa 528, 530, 533; diversa 528, 530, 533; exalbida 532, 534; var exalbida 528, 530, 533; fuscata var fuscata 528, 530, 533; gracilipes 528, 530, 533; jubata 527; nigra 528, 530, 533; parva var macrospora 528, 530, 533; var parva 528, 530, 533; serrulata 528, 530, 533; subfurfuracea 528, 530, 533; vinaceobrunnea 530, 533; var vinaceobrunnea 528; viridiflavipes 528, 530, 533
Leptosphaeria 1030, 1031; albopunctata 1030; collinsoniae 518; gaultheriae 518; lillii 518; myricae 518; oraemaris 415
Leptosphaerulina australis 981
Leptostroma allii 518; artemisiae 518; hedgcockii 518
Leptostromella andropogonis 518; angelicae 518; bignoniae 518; cassiae 518; chenopodii 518; conigena 518; panici 518
Leptothyrella aceris 518; caricis 518; laricis 518; lathami 518; robiniae 518
Leptothyrium cassiicola 518; chenopodii 518; conspicuum 518; dasystomae 518; doellingeriae 518; dryinum 1212; lactucae 518; parvulum 518; pseudotsugae 518; smilacis 519; stenosporum 519; tumidulum 519; typhina 519
Leucosporidium 1013, 1017
Libertella ulmicola 519
Ligniera 42; junci 41–46, f 43; pilorum 44
Lignincola 696
Linderina 958, 960; macrospora 949; pennispora 946, 949, f 951, f 953, f 954
Lindra thalassiae 415
Lopharia crassa f 284, 290, 291, f 292, 297
Lophiostoma elymi 519
Lophodermium australe 519; laricis 519; oxycocci var hypophyllum 519
Luttrellia 692; estuarina 693, f 694, f 695

Macrobiotophthora vimariensis 133, 135
Macrophoma celtidicola 519; oenotheraebiennis 519; peckiana 519, 525; pernettyae 519; salicis 519; ulmicola 519; viburni 519
Macrophomina phaseoli 176–179, f 177, f 178
Macroplodia clematidis 519; juglandicola 519
Macrosporium 157; araliae 519; fallax 519; florigenum 519
Macrotyphula 668
Malbranchea albomyces 578; pulchella 5; var sulfurea 3, 6, 8, 157, 577, 578, 875
Manimaria 1155–1158
Marasmius 1043; pinastris *1044*
Mariannaea elegans 980
Marsonia coronariae 519
Marssonia callae 519; sonchi 519
Marssonina bracteosa 519
Martensella 958, 960; corticii 945

Martensiomyces 958; pterosporus f 950, f 952, 960
Massaria 696; plumigera var tetraspora 519
Massarinula brassicae 519
Mattirolella 1277, 1279; crustosa 1278; silvestrii 1278
Melampsora euphorbiae 1979
Melanconium parvulum 519
Melanospora 300; coemansii 155; interna 301; zamiae 300–312, f 304, f 307
Melasmia menziesiae 519
Meliola 995, 998, 1003; argentina 996, 998, 1000, 1002, f 1003, 1004; jasminicola 996, 1004; juddiana 998, 1003; palmicola 996, 998, 1000, f 1001, 1002, f 1003, 1006; peleae 998, 1003; pinicola 519
Menispora uncinata 791, 793
Meristacrum asterospermum 133, 135
Merulius umbelliferus 561; xanthopus *731*
Metarrhizium anisopliae 980, 985, 990, 1159
Metasphaeria hyalospora var smilacis 519; macounii 519; staphyleae 519; varia 519
Microascus 1159
Microcyclephaeria 862; palmicola 862
Microdiplodia ceanothi 519; laurina 519; lophiostomoides 519; spiraeocola 519
Micromphale 563; campanella 567; ericetorum 560, 561, 568; fibula 568
Micropeltis viburni 519
Microstoma 1255
Microthyrium thuyae 519
Mikronegeria 321–331; **alba** 321–**325**–331, f 323, f 325, f 326; fagi 321, 327–329
Mirandina 1029
Moellerodiscus 61; berberidis 66, 84
Mollisia 1030, 1031; angelicae 519; apiophila 519
Monacrosporium dreschlerii 1087, 1090, 1091, 1093–1095, 1098; rutgeriensis 1087, 1090, 1091, 1093, 1094, 1098
Monascus purpureus 645–659, f 650, f 652, f 654; rubropunctatus 645
Monatospora pumilum 155
Monilia 638; megalospora 154; mycophila 155; sitophila 641
Monochaeta pinicola 519
Monocillium exsolum 156
Monodictys pelagica 416
Monosporium agaricinum 155
Morchella esculenta 1269–1274, f 1272
Mortierella 1159, 1160; bisporale 155; dichotoma 155; hygrophila 155; isabellina 155, 981; minutissima 156; nigrescens 156; parvispora 981; ramanniana 980, 983–985; rostafinskii 155; verticillata 981; vinacea 165, 458
Mucor 150, 158, 638, 641, 642, 1028, 1156, 1159, 1160; dispersus 343, 344; embolus 1284; genevensis 841; hiemalis 155, 841, 981; miehei 3, 6, 8, 577, 578, 906–910; mucedo 829–842, f 832; pusillus 3, 6, 8, 577, 578, 875; racemosus 155; ramosissimus 155; rouxii 819; sciurinus 155
Multiclavula 662, 665
Mycena **argillascens 1052;** elegantula 1051; var **inflata 1050;** flavoalba 1053; var microspora 1053; haematopus var **cuspidata 1049,** 1050; luteoalcalina 1051; purpureofusca 1051
Mycoacia austro-occidentale f 270, 277, f 278, 297
Mycobacterium tuberculosus 589
Mycogone 158; cervina 155; ochracea 155; rosea 155
Mycoleptodiscus indicus 793
Mycosphaerella 920; chenopodii 519; oxycocci 519; pachystimae 519; pteridicola 519; punctata 519; stromatoidea 519
Mycosticta cytosporicola 156
Mycosvlva 456–460; clarkii 456, f 457, 459, 460; reticulata 459
Myriococcum albomyces 3, 6, 8, 577
Myrmaecium cannae 519
Myrothecium 1155; leucotrichum 1159; roridum 1156, 1159; verrucaria 19–34, 161
Myxosporium alboluteum 519, 520; liriodendri 520; megallanto 520; negundicolum 520; oenotherae 520; roseum 520; stellatum 520; tiliae 520; viticola 520

Naemosphaera pinicola 520
Nais 696
Nanoscypha 1255
Nectria 355–362, 1030; group Aquifolii 355; group Arenula 355; group Cinnabarina 355; group Coccinea 697; group Episphaeria 355; group Lasionectria 355; group Ochroleuca

355; group Peziza 355; aquifolii 356, 357, 360; candicans 356, 359, 360; cinnabarina 356, 358, 360; coccinea var coccinea 697; var faginata 697–700; coryli 356, 358, 360; episphaeria 356, 359, 360; fuckeliana 697; galligena 697; gliocladioides 356, 358, 360, 361; haematococca 1134; lactea 356, 359, 360; ochroleuca 356, 358, 360, 361; peziza 356, 359, 360; purtonii 356, 359, 360; sporangiicola 355, 356, 359, 360
Neopatella kauffmani 520
Neotiella 491
Neournula 1257
Neurospora crassa 590, 657, 658, 1123, 1159
Nigrospora 17
Nolanea 528, 530, 533, 535; sect Endochromonema 528, 531, 533; sect Holoconatae 528, 531, 533, 535; sect Nolanea 528, 530, 532, 533; cetrata 528, 531, 533; cuneata 528, 531, 533, 534, 535; juncinus 528, 531–533; sericea 527, 528, 530, 533
Neurophyllum floccosum *715*

Odontura 68
Oedocephalum 639, 641, 642, 643
Oidiodendron chlamydosporicum 980, 983, 985, 989; citrinum 980, 985; flavum 458; maius 980; rhodogenum 981; tennuissimum 980
Oligostroma acicola 520
Olivea 329
Olpitrichum macrosporum 793
Ombrophila setulata 520
Omphalia 556–568; adusta 561; campanella 563; epichysium 558; 564; hydrogramma 562; infundibuliformis 562; pyxidata 557, 558; umbellifera 558, 559
Omphalina 556–568, 708; epichysium 565; pyxidatus 564; umbellifera 556, 559, 561
Omphalopsis 563
Oncopodium 795; antoniae 795; panici 795; pruni 975; **simmonsii** f 790, **793**–796, f 794
Oospora 158; candidula 155; ferruginea 154; hypoxylicola 155; klebahni 157; meliolae 155; nectricola 155; nicotianae 157; pullulans 157
Ophioceras dolichostomum 895–898, f 896
Ophiostoma microsporium 855; piliferum *799*
Ophiotrichum verbenae 520
Oramasia hirsuta 797; var hirsuta 796, 798; var **ramosa 796,** f 797, 798
Orbiliaster 1030
Ostracoderma 1029
Ostropa mellea 520
Oudemansiella longipes var **americana 1045**–1047, f 1058; radicata 1046, 1047
Ovularia 521; occulta 520

Paecilomyces 1029, 1155, 1156, 1159; carneus 980, 985; lilacinus 1155, 1156, 1159; varioti 641–643
Pachysporaria 1247; rubropulchra 1274
Panus fulvidus f 284, f 292, 293, 297, 298; rudis f 284, 294, f 295, 297; tigrinus 657
Papulaspora 641–643, 1027, 1029, 1031; byssina 639, 641, 643; thermophila 906–910
Parataeniella 946
Parmelia caperata f 921
Paxillus lepista 558, 568
Peltigera 928; polydactyla f 924, 925, 929
Penicillium 17, 150, 638, 641, 951, 983, 1029, 1155–1157, 1159–1161, 1202–1211; atrovenetum 21, 27; brefeldianum 1203, 1205, 1208; brevicompactum 981; candidum 156; casei 1204, 1206; chrysogenum 1204, 1205, 1207, 1208; citrinum 156, 1159; clavariforme 309; coeruleoviride 980; corylophilum 1159; crustosum 1204, 1207, 1208; cyaneo-fulvum 156, 1204, 1207; cyclopium 980; daleae 980, 983, 985, 989; digitatum 1202, 1204, 1205, 1207; diversum 1159; duclauxi 980; ehrlichii 1205, 1208; expansum 1204, 1205, 1207, 1208; fellutanum 157, 980; funiculosum 1159, 1209; fuscum 980, 1205; griseolum 981; hypomycetis 156; italicum 1202, 1204, 1205, 1207; janthinellum 980, 1159; javanicum 1205–1208; lanosum 156; levitum 1205, 1208; luteum 156; meleagrinum 1204; melinii 1203, 1205–1207, 1209; multicolor 980; nigricans 980, 1205, 1206; notatum 1159, 1204, 1207;

odoratum 458; oligosporum 1205; oxalicum 639, 641–643; parvum 1205, 1208; pedemontanum 980; puberulum 156; purpurogenum 156, 196, 981; raistrickii 981, 1159; restrictum 980, 1203, 1205, 1208; roqueforti 1204, 1205, 1207; rubellum 156; rubrum 196–199, 1159; sclerotigenum 1205, 1206; solitum 980; spinulosum 156, 980, 1209; steckii 1159; stoloniferum 156, 981; tardum 155; terlikowskii 980, 983, 989; thomii 980, 1209; umbonatum 156; urticae 15, 589; vermiculatum 156; verruculosum 980; vinaceum 981; waksmani 980
Peniophora albobadia f 270, 277, f 278, 279, 297; tamaricicola 279, f 281, 297
Pennella 958
Periconia 458
Peronophythora 381; litchii 381, f 382, 383
Peronophythoraceae 383, 384
Peronosclerospora **594–604; dichanthiicola 595; maydis 595,** 596; **miscanthi 596; philippinensis 596; sacchari 595; sorghi 596,** 599; **spontanea 597; westonii 597**
Peronospora 380, 598, 600, 602, 603; destructor 602, 603; leptosperma 598; lophanthi var moldavicae 520; maydis *595*, 596
Pestalotia 1159, 1161
Pestalozzia gaultheriae 520; monochaetoidea var parasitica 520; quadriciliata 520
Petersenia 215
Peziza campanula 1229; coronata 1232–1234; crocata *85*; culmicola 1224, *1226*, 1229, 1230, *1231*, 1234; cyathoidea 1234; inflecta *1232*, 1234; inflexa *1232*, 1234; palearum 1229, 1230; phiala *1235;* subgibbosa *1226*, 1231; vexata *1226*
Pezizella minuta 520
Phacidium abietinellum 520; convexum 520; gaultheriae 520; taxicolum 520; vaccinii var oxycoccini 520
Phaeoclavulina 663
Phaeophyscia imbricata 1248; **laciniata 1247,** f 1248
Phaeospora cassiopes 520
Phakopsora apoda 1080; loudetiae 1080
Phanerochaete allantospora 280, f 281, 297; arizonica 280, f 281, 297; chrysosporium 9; chrysorhizon 281, 282; omnivorum 281, 297, 298; tuberculata f 270, 282, f 286, 297, 298
Pharcidia epicymata 156
Phellinus texanus 283, f 284, f 286, 297
Phialea 1223–1238; culmicola *1226*, 1230
Phialophora 805, 1156, 1157, 1159; cyclaminis 1159; dermatitidis 802–813, f 806; fastigiata 1159; richardsiae 1159
Phillipsia 1255
Phleospora canadensis 520; dearnessii 520
Phlyctaena tiliae 520
Phlyctochytrium 1300; **macrosporum 143,** f 143; unispinum 140
Pholiota 527, squarrosa 1040, 1041, 1062
Phoma 641, 1030, 1156, 1159–1161; akebiae 520; anemones 520; cynoglossi 520; florida 520; galactis 520; linariae 520; maculata 520; paniculata 520; pectinata 520; platanicola 520; physopellae 520; spermoides 520; vaccinii 520
Phomopsis canadensis 520; citri 344; impatientis 520; hibisci 520
Phragmodothidea eucalypti 520
Phragmopeltis phragmitis 520
Phycomyces 1028; blakesleeanus 302, 306, 308, 586–593
Phyllachora melicae 520
Phyllactinia corylea 266
Phyllocarbon yasudai *711*
Phyllosticta antirrhini 176, 179, 184–187, f 185; baccharidis 520, 525; brunnea 520; chrysanthemi 520; clematidis 521; cruenta var longispora 521; cyanococci 521; dircae 521; dracocephali 521; gaultheriae f shallon 521; heraclei 521; hesleri 521; hispida 521; iteae 521; lilii 521; maurandiae 521; medeola 521; minutella 521; oakesiae 521; omphaleae 521; pachysandrae 521; palustris 521; pucciniospila 157; punctata 521; rhexiae 521; steironematis 521; vexans 521; viburni 521
Phymatotrichum 1164; fimicola 1165–1172; fungicola 1165–1172; omnivorum 266, 1123, 1164–1172
Physalospora colemae 157; obtusa 370

Physarum 675; auriscalpium 675; cinereum 1249; decipiens 675; polycephalum 356, 1249
Physcia setosa var endococcina 1248
Physoderma 216–218, 220; menyanthis 233; zeae-maydis 216
Phytophthora 171, 173, 220, 264, 380, 598–600, 602, 603; arecae 1110; **cajani** 171–**174**–176, f 173, f 174; cambivora 173; capsici 1110; cinnamomi 173, 1108, 1109, 1110; dreschsleri 174; erythroseptica 1123; var pisi 173; fragariae 1123; infestans 151, 601, 1123; meadii 1110; megasperma var sojae 683; oryzae 173; palmivora 343, 1101–1112, f 1104, f 1105, f 1106; parasitica 343; var nicotianae 679–684, f 682; syringae 1123
Piggotia depressa 521; negundinis 521
Piptocephalis xenophila 153, 154
Pirobasidium sarcoides 1029
Pistillaria 660, 666, 668
Pithomyces maydicus 798
Pityrosporium ovale 818
Placosphaeria baccharidis 521; celtidis 521; corticola 521
Plasmodiophora brassicae 1246
Plasmopara 598–600, 602, 603; cephalophora 598, 602; densa 600; oplismeni 598, 602; penniseti 598, 602; pygmaea 600
Plectania melaena 1257
Plenodomus meliloti 521
Pleospora herbarum var triglochinis 521
Pleurage 696
Pleurotus cornucopiae 1055; ostreatus 180, 182, 1056; sapidus 179, 180, f 181
Pocillum 68
Poculum 61, 1225; **crocatum 85**; rubroflavum 72
Polymyxa betae 1245, 1246
Polyozellus 710; multiplex 708, 711, 712, f 752
Polyphlyctis 140; unispina 140
Polyporus adustus 309; albellus 513; arcularius 287, 297; tomentosus 1014
Polyschema 876–879; congolensis 877; indica 876; **sagari 877**, f 878, f 879; terricola 877
Polysphondylium pallidum 1173–1180; violaceum 1173–1180
Poria monticola 505; placenta 502–504, 506; purpurea f 284, 287, f 288, 297; subrufa 521; tarda f 284, 289, f 289, 297; xylostromatoides f 284, 289, f 289, 297, 298
Poronia oedipus 1113, 1118–1120; punctata 1113–1121
Porphyrellus fumosipes *677*; porphyrosporus ssp cyaneocinctus 676, *677*; pseudoscaber ssp cyaneocinctus 676, *677*
Prospodium 573; sect Cyathicola f 572; palmatum f 573, 574; tecomicola 574
Protoachlya polysporus 1123
Protoventuria vancouverensis 521
Psathyrella **aspenensis 1057**, f 1059; cystidiosa 1059; hesleri 1059; sublateritia var **intermedia 1059**; var sublateritia 1060; **terrestris 1259**, f 1260
Pseudeurotium 1155, 1156, 1159
Pseudocolus fusiformis 900–905, f 901; jaczewskii *900*–902; javanicus 900; rothae 902; rugulosus 903
Pseudocraterellus 719; calyculus *721*; pertenuis 702, 721; sinuosus 722; subundulatus *720*
Pseudographis phragmitis 521
Pseudohelotium canadense 521
Pseudomonas aeruginosa 589, 592, 811
Pseudoperonospora 598, 599, 602
Psilocybe 1041; aztecorum 385–396; var aztecorum f 386, 387, f 387, f 389, 390, f 391, 392, 394; var **bonetii 392**–395; baeocystis 393–395; bonetii 391, *392*; cyanescens 395; mexicana 395; var longispora 385–396; quebecensis 393–395
Pteromaktron f 956, 958, 959; protrudens 959
Puccinia 329, 1144; **aframomicola** f 574, **575**; bakoyana 1083; chaetochloae 1080; conclusa 1979; cynodontis 1080; digitariae-velutinae 1080; eritraeensis 1080; fimbristylidis 1979; fragosoana 1080; graminis 151, 228; heterospora 1083; huberi 1080, polysora 1080; sorghi 1080; stenotaphri 1080; substriata 1083; var insolata 1080; vexans 266; zorniae 1081
Pycnoporus cinnabarinus 290, 297
Pyrenochaeta 1030; acicola 90, 92, 96; mitteriella 157; terrestris 1089, 1094
Pyrenopeziza multipunctoidea 521; smilacicola 521

Pyronema 227
Pythiopsis cymosa 1123
Pythium 214, 220, 598, 600, 602, 603, 880–883, 1122; aphanidermatum 880–883, 1123, 1283; gracile 214; irregulare 880–883; splendens 1123; ultimum 1123

Ramaria 660, 661, 666, 668; subg Echinoramaria 663; flava 661
Ramariopsis 660–671; subg **Donkella** 665, **668;** subg Ramariopsis 665, 669; asterella 665, 669; biformis 665, 669; californica 665, 668; cinnamomipes 665; clavuligera 665; **corniculata** 665, **668;** crocea 664, 665, 669; **depokensis** 665, **668; dichotoma** 665, **668;** flavescens 665, 669; **fusiformis** 665, **668,** 669; **helvola** 665, **669; holmskjoldii** 665, **668;** kunzei 665, 669; **laeticolor** 665, **668;** lentofragilis 665, 669; lignicola 665; luteo-ochracea 664, 665; minutula 665, 668; pseudosubtilis 665, 668; pulchella 665, 669; rufipes 665, 669; **subtilis 668**; tenuicula 669; tenuiramosa 665, 669; **umbrinella** 665, **668;** vestitipes 665, 669
Ramichloridium indicum 798; **verrucosum 798**
Ramularia arisaemae 521; chrysopsidis 521; clematidis 521; delphinii 521; eamesii 521; grantii 521; ivae 521; lanceolata 521; melampyri 521; mitellae var heucherae 522; ranunculi-lyalii 522
Ravenelia acaciae-senegalae 1081
Resupinatus 1056; applicatus f 284, 294, f 295, 297
Reticularia lycoperdon 1239
Rhabdogloeum abietinum 522
Rhabdospora arctii 522; aristata 522; eucalypti 522; polygoni 522
Rhacodium nidulus 157
Rhinocladiella 1157, 1159; anceps 1156, 1159; elatior 1159
Rhinocladium anceps 981
Rhinotrichum aureum 155; herbicolum 522; tenellum 599
Rhizoctonia 161, f 1282; solani 158, 161, 309, 1281–1283, f 1282
Rhizophydium laterale 1123; sphaerotheca 1123
Rhizopus 17, 1159; nigricans 157; oryzae 586; stolonifer 641–643; trubini 157
Rhodocybe 532, 534, 535; caelata 528, 531, 533, 534
Rhodosporidium 1013, 1017
Rhodotorula glutinis 889; var rubescens 888; mucilaginosa 888; rubra 1299
Rhopalidium cercosporelloides 522
Rhopalomyces elegans 782
Rhopographus nucleatus 522
Rhysotheca 598, 599, 600, 602; viticola 600
Riessia 788
Rosellinia compressa 522
Rutstroemia 61

Saccardinula alni 522
Saccharomyces cerevisiae 21, 27, 818, 1094
Saccharomycodes ludwigii 818
Saccobolus 189–192; sect Saccobolus 192 **michiganensis** f 191, **191,** 192; saccoboloides 192
Saprolegnia 226, 233, 242; australis 890–894, f 893, 1123, 1288–1293, f 1290; ferax 233; parasitica 1292; terrestris 487
Sapromyces elongatus 368
Sarcinella 788
Sarcoscypha 1255
Schizochytrium 1299, 1300; aggregatum 415
Schizophyllum commune 295–297, 481–486, 496
Scirrhia lineata 522
Scleroderma 395; hypogaeum 395; sinnamariense 395
Scleroderris 68
Sclerophthora 598, 599, 601–603
Sclerospora 594, 595, 598, 599, 602, 603; subg Peronosclerospora *594;* andropogonis-sorghi *597;* dichanthiicola *595;* farlowii 597; graminicola 597, 599; var andropogonis-sorghi *596;* indica *596;* iseilematis 597; javanica *596;* macrospora *596;* magnusiana 597; maydis *595;* miscanthi *596;* northii 597; philippinensis *596;* sacchari *595;* secalina 597; sorghi *597;* spontanea *597;* westonii *597*
Sclerotinia 224, 942; sclerotinorum 375
Sclerotiopsis testudinea 522
Sclerotium fungorum 157; rhizodes 157; rolfsii 309, 849–852

Scolecobasidium 1157; constrictum 1156, 1159; variabile 1159
Scolecosporium coryli 522; pedicellatum 522
Scopulariopsis 1156, 1159; brevicaulis 157, 416; fimicola 155, 639, 641, 643
Scytalidium 1155–1157, 1159
Selenosporella 787
Sepedonium 153; ampullosporum 154; chrysospermum 151, 154; curvisetum 154; macrosporum 152, 153; mucorinum 154
Septobasidium 329, 1013
Septogloeum celtidis 522; parasiticum 522; rhopaloideum 522; salicis-fendlerianae 522; schizonoti 522
Septonema formiculum 522
Septoria acetosella 522; adenocaulonis 522; aecidiicola 156, 157; angularis 522; asclepiadicola f syrica 522; boycei 522; breviuscula 522; ceanothi 522; chlorantha 522; darlingtoniae 522; densiuscula 522; erythraeae 522; farfaricola 522; gentianae 522; hedeomae 522; heliopsidis 522; hieracicola 522; hydrophylli 522; krigiae 522; lunariae 522; lupincola 522; macrosporia 522; mollisia 522; myricata 522; pachysandrae 522; pallidula 522; pellucida 522; pinicola 522; radiculae 522; samarae-macrophylii 523; sanguinea 523; sarcobati 523; septoriopsidis 523; sitchensis 523; sonchiarvensis 523; streptopodis 525; tinctoria 523; xanthismatis 523
Serpula pinastri 1123
Setosphaeria 547, 554
Sillia ferruginea 898
Simuliomyces 958
Singera esenbeckiae *796*
Sirobasidium 1008; magnum 1016
Sirolpidium 415
Sirosperma floridana 157
Sistotrema brinkmanii 1159
Smittium 945, 946, f 948, 951, f 956, 958, 1123; culicis 960; culisetae f 953; mucronatum 960
Sordaria 491; brevicollis 657; fimicola 302, 306, 308, 344, 612
Sorosphaera veronicae 1241–1247, f 1243, f 1244, f 1245
Sorosporium consanguineum 814–820, f 816, f 817
Spartiella 958
Spegazzinea rubra 523
Spegazzinia 788
Sphaceloma ampelinum 151
Sphaerophragmium acaciae 1082; hystericinum var viburni 523; niveum 523
Sphaeronaema oxysporum 157
Sphaeropsis akebiae 523; amelanchieris 523; amplispora 523; aristolochiae 523; baccharidicola 523; betulae var lutea 523; ceanothi 523; cercidis 523; cornicola 523; diospyri 523; lineata 523; liquidambaris 523; lycii 523; malorum 309; parallela 523; prosopodis 523; punctata 523; smilacina 525; tecomae 523; viburni 523; viburni-dentati 523
Sphaerotheca fuliginea 1035–1038
Sphaerulina acori 523
Spicaria elegans 155
Spicellum roseum 641, 643
Spinellus chalybeus 157
Spirodactylon 951, 958, 960; aureum 947
Spiromyces 951, 958, 960, minutus 947, 961
Sporidesmium dolichopus 155
Sporobolomyces roseus 818
Sporodesmium naviculum 523
Sporophlyctidium 145; **neustonicum 147,** f 147
Sporothrix 799, 858; inflata 980, 985
Sporotrichum 158, 578; aeruginosum 155; aureum 155; biparasiticum 156; carnis 155; croceum 155; hospicida 154; mycophilum 155; pulverulentum 3, 6, f 7, 9, 10, 161; thermophile 3, 6, 9, 161, 577, 578, 906–910; triumfettae 155
Stachybotrys 1159; atra 1159; bisbyi 1155, 1156, 1159
Stachylina 945, 951, f 956, 958, 960; grandispora 949, f 953, f 954
Stagonospora 1030; amorphae 523; lapidoviridis 523; meliloti 523; phaseoli 523; rubi-albida 523; spiraeae 523
Stamnaria 68
Staphylococcus aureus 811
Steganosporium acerinum 525
Stemonitis flavogenita 1240
Stemphylium botryosum 352, 538; floridanum 344; nemopanthes 523; pulchrum 157; solani 352

Stephanoma phaeospora 302, 303, f 307, 308, 370–379, f 372, f 374, f 376, f 377
Stereum calyculus *721;* fasciatum 356; purpureum 309
Stichoclavaria 662
Stigmella nemopanthis 523; platani-racemosae 523; vernoniae 523
Stigmina vitis 523
Stilbella 1029; thermophila 3, 6, 9, 577, 578
Stipella 958
Strobilurus kemptonae 467
Stropharia kauffmanii 1061, 1062; **subsquamulosa 1061**
Suillus 1065, 1069, 1073, 1075; albidipes 1065, 1069; americanus 1065, 1070; anomalus 1065, 1070; borealis 1065, 1070; brevipes 1065, 1070; caerulescens 1065, 1070; fuscotomentosus 1065, 1070, 1073; glandulosipes 1065, 1070; granulatus 1066, 1070, 1073; grevillei 1066, 1070; lakei 1066, 1071, 1073, 1074; luteus 1066, 1071; pictus 1066, 1071, 1073; ponderosus 1066, 1071; pseudobrevipes 1066, 1071; pungens 1066, 1071; subluteus 1066, 1072; tomentosus 1066, 1072, 1073; umbonatus 1066, 1072, 1073
Stysanus berkleyi 157; tubericola 523
Sydowia dothideoides 523
Syncephalastrum racemosum 155
Syncephalis tenuis 153, 154
Synchytrium 243
Syzygites 227

Talaromyces emersonii 3, 6, 9, 577–585, 578; leycettanus 906–910; thermophilus 3, 6, 577, 578
Termitaria 1277, 1279; coronata 1278; pacedensis 1279; snyderi 1278; thaxteri 1278
Tetracladium 969, 970, 972; marchalianum 423, 424, 427, 967; setigerum 423, 424
Tetracoccosporium 788
Thamnidium 1159; fulvum 155
Thelebolus 1191, 1192; zukalii 1191
Thelephora cantharellus *735;* subundulata *720*
Thermoascus aurantiacus 3, 6, 9, 578, 906–910
Thermomyces stellatus 3, 6
Thielavia sepedonium 641, 643; terrestris 9; thermophila 3, 6, 8, 9
Thielaviopsis basicola 987
Thraustochytrium 217, 378, 1299, 1300; aureum 415; globosum 1300, 1301; pachyderma 1299; roseum 415, 416; rossii 1123
Thyridaria sorbi 523
Thyridium ceanothi 523
Tieghemiomyces parasiticus 308
Tomentella 1294–1297; macrospora 1296; **vesiculosa 1294,** f 1295
Tomentellastrum 1296
Torula caricina 523; graminis 157; herbarum 1159; thermophila 3, 5, 6, 9, 577, 578, 641, 642, 906–910
Torulomyces lagena 980, 985
Torulopsis ernobii 888, 889; glabrata 818
Trechispora farinacea 268
Trematosphaeria cornina 523
Tremella 1008, 1018; aurantia 1015; brasiliensis 1008, 1009, f 1011, 1014; encephala 1015; fusiformis 1014; mesenterica 1008, 1009, f 1012, 1014, 1015; var flavescens 1015; var magnus 1015; subanomala 1015
Tremellineae 1015
Trichia nutans 1284, *1286;* persimilis 1239
Trichobolus octosporus 1198, 1199; zukalii 1191–1200, f 1194, f 1195, f 1196
Trichocladium 866–874; achrasporum 413, 415, 866, 869, f 869; aspermum 866; **linderi 866,** f 867, 869, f 869, f 871; lobatum 866, 871, 873; minimum 871, 873; **moenitum** f 867, f 869, **871,** f 872, 873; opacum 866, 980; pyriforme 871; uniseptatum 871
Trichoderma 158, 161, 262, 985, 1029, 1155, 1156, 1157, 1159–1161; album 155; aureoviride 156, 980; hamatum 156; harzianum 156, 1159; koningii 980, 1159; lignorum 156; piluliferum 155; polysporum 981; pseudokoningii 908, 983; viride 156, 161, 162, 639, 641–643, 1159, 1202, 1206
Tricholoma aurantium var **olivascens 1047**
Trichometasphaeria 547, 554
Trichophyton mentagrophytes 848; rubrum 847–849; violaceum 848
Trichosphaeria breviseta 523

Trichosporium falcatae 524; herbarum 157; pinicolum 524
Trichothecium 151, 1159; roseum 47–60, 151, 153, 155, 344, 641, 643
Trichozygospora 958; chironomidarum 951, 955
Trichurus spiralis 641–643
Tricladium 423, 424, 427, 969, 970, 972; angulatum 423, 424, 967
Tripospermum myrti 423
Triscelophorus magnificus 423, 424; monosporus 188, 189, 423, 424
Tritirachium 302, 303, 309, 1159; dependens 1159
Tryblidium 68
Tuberculariella ips 39
Tuberculina flavogranulata 524
Tubifera ferruginosa 1239
Tubakia dryina 1212–1216, f 1214
Tulasnella 1009; fuscoviolacea 1008, 1009, f 1010
Turbinellus floccosus *715*
Tylopilus 1066, 1072, 1073; cyaneocinctus 676, *677;* fumosipes 676, *677;* pseudoscaber 1066, 1072–1074
Tympanis cephalanthi 524
Typhula 660, 666, 668

Ulocladium chartarum 344
Uredinopsis 329
Uredo novissima *1145*, 1147; palmarum 569
Urnula 1256
Uromyces 1144–1150; appendiculatus 1081; anguriae 1144, 1145, f 1146, 1147–1149; appendiculatus 1144; blainvilleae 1979; commelinae 1077; corallocarpi 1144, 1145, f 1146, 1147, 1148; euphorbiae 1080; hellerianus *1145*, 1147, 1148; linearis 1080; novissimus 1144, 1145, f 1146, 1147, 1150; occidentalis 1082; pentastriatus 1144, 1145, f 1146; phaseoli 1144; poliotelis 1144, 1145, f 1146, 1148, 1149; ratus 1144, 1145, f 1146, 1147–1150; setariae-italicae 1081; silphii 512, 513; tenuicutis 1081
Ustilago maydis 821, 826; violacea 818, 819
Utharomyces indicus 1156, 1157, 1159

Valsa 696; clavigera 524
Varicosporium 1029
Venturia fimbriata 524; lanea 524; subcutanea 524
Vermicularia podophylli 524; sambucina 524
Veronaea 798; verrucosa *798*
Verticicladiella 39
Verticillium 153, 158; agaricinum 154; albo-atrum 302, 305–309; aspergillus 156; capitatum 156; cercosporae 155; chlamydosporium 781, 980, 991; compactiusculum 156; dahliae 151, 152, 309, 987; discisedum 157; fungicola 155; lamellicola 156; marquandi 155; microspermum 155; nigrescens 1159; niveum 154; psalliotae 155, 980; vile 156
Vibrissea 897; truncorum 897
Volucrispora 423, 424
Volutella 1029, 1031
Volutina 1029

Wallemia sebi 1016
Whetzelinia sclerotiorum 375
Wiesneriomyces javanicus 799
Woronina pythii 1246

Xylaria hypoxylon f 284, f 295, 296, 297
Xylomyces chlamydosporis 1027, 1029

Zalerion maritimum 406–418, 431–447
Zignoella ostiolata 524
Zygopotaris 958
Zygorhynchus moelleri 309, 841; vuilleminii 981
Zygosporium gibbum 799; oscheoides 800
Zythia boleticola 157

HOST INDEX

The Host Index includes generic names of hosts and those fungi which are definitely indicated in the text as occurring on a host.

Abies
Fomitopsis pinicola 1218

Abobra
Uromyces novissimus 1146

Acacia
Ceriospora acaciae 859
Hapalophragmium ponderosum 863
Ravenelia acaciae-senegalae 1082
Acer
Endophragmia boothii 787
Nectria purtonii 356
Aframomum
Desmellopsis aframomicola 575
Agropyron
Belonidium vexatum 1229
Agrostis
Belonidium vexatum 1229
Ailanthus
Nectria cinnabarina 356
Albizzia
Colletotrichum dematium f truncata 453; 455
Sphaerophragmium acaciae 1082
Alisma
Ligniera junci 45
Allium
Peronospora destructor 602
Amaranthus
Ligniera 42
Anacanthotermes (animal)
Laboulbenia feliciscaprai 1278
Andropogon
Belonidium vexatum 1229
Anguria
Uromyces anguriae 1148
Uromyces poliotelis 1148
Arachis
Cylindrocladium crotalariae 616
Araucaria
Mikronegeria fagi 328
Areca
Ceriospora arecae 859
Aristida
Sorosporium consanguineum 814
Armitermes (animal)
Hormiscioideus filamentosus 1275
Artemisia
Ceriospora fuscescens 861
Aspilia
Uromyces blainvilleae 1979
Attalea
Cerradoa palmaea 570
Austrocedrus
Caeoma epinosae 321

Bellicositermes (animal)
Laboulbenia hageni 1278
Berberis
Lambertella berberidis 66; 84
Lanzia 84
Lanzia berberidis 66
Lanzia parasitica 65, 84
Moellerodiscus berberidis 66, 84
Betula
Fomes fomentarius 1218
Borreria
Puccinia bakoyana 1083
Brachiaria
Puccinia substriata var insolata 1080
Uromyces setariae-italicae 1081
Brassica
Ramichloridium indicum 798

Cajanus
Phytophthora cajani 175
Callistemon
Cylindrocladium scoparium 616
Calocedrus
Gymnosporangium libocedri 323
Calotermes (animal)
Antennopsis gallica 1278
Termitaria snyderi 1278
Carica
Botryodiplodia theobromae 605
Carnegiea
Athelia decipiens 268
Castanea
Ceratocystis eucastaneae 856
Ceratocystis microspora 853
Endothia parasitica 856
Tubakia dryina 1212
Cayaponia
Uromyces novissimus 1146
Uromyces ratus 1149
Ceratocystis
Melanospora zamiae 309
Cercis
Cylindrocladium floridanum 616
Chamaerops
Ceriospora bicalcarata 861
Cheirodendron
Asteridiella cheirodendronia 998
Chironomus (animal)
Catenaria spinosa 466
Citrus
Cylindrocladium citri 616
Cladosporium
Melanospora zamiae 309
Cocos
Uredo palmarum 569

Colletotrichum
Acremonium sordidulum 453
Acremonium sordidulum f sp colletotrichum-dematii 455
Commelina
Uromyces commelinae 1078
Coptotermes (animal)
Antennopsis gayi 1278
Corallocarpus
Uromyces corallocarpi 1147
Cornitermes (animal)
Termitaria thaxteri 1278
Corticium
Aspergillus terreus 935
Crassocephalum
Aecidium crassocephali 1078
Crotalaria
Uromyces occidentalis 1082
Cucumis
Sphaerotheca fuliginea 1035
Cyclosorus
Desmella superficialis 573
Cynodon
Puccinia cynodontis 1080
Cyperus
Puccinia conclusa 1979

Dendrobium
Exserohilum rostratum 344, 539, 548
Diatrype
Nectria episphaeria 356
Dicrotendipes (animal)
Catenaria ramosa 463
Digitaria
Puccinia digitariae-velutinae 1080
Diodia
Puccinia bakoyana 1083
Diphascon (animal)
Ballocephala pedicellata 133
Diplodia
Melanospora zamiae 309

Elettaria
Ceriospora elettariae 861
Esenbeckia
Oramasia hirsuta var hirsuta 796
Eucalyptus
Cylindrocladium brasiliensis 616
Gyrothrix microsperma 791
Wiesneriomyces javanicus 799
Zygosporium gibbum 799
Eupatorium
Ligniera 42

Euphorbia
Melampsora euphorbiae 1080
Uromyces euphorbiae 1080
Eutermes (animal)
Coreomycetopsis oedipus 1278
Laboulbeniopsis termitarius 1278
Termitaria 1279
Termitaria coronata 1278
Termitaria thaxteri 1278

Fagus
Nectria coccinea var faginata 697
Fevillea
Uromyces novissimus 1146
Ficus
Zygosporium oscheoides 800
Fimbristylis
Cintractia axicola 1979
Puccinia fimbristylidis 1979
Fouquieria
Asterostroma muscicolum 285
Athelia decipiens 268
Colletogloeum fouquieriae 266
Coprinus papagoensis 291
Crepidotus herbarum 268
Cristinia sonorae 272
Dacrymyces minor 268
Dacryopinax spathularia 268
Henningsomyces candidus 268
Hyphoderma fouquieriae 274
Hyphodontia sambuci 275
Lachnella alboviolascens 283
Lopharia crassa 290
Mycoacia austro-occidentale 277
Panus fulvidus 293
Panus rudis 294
Peniophora albobadia 279
Peniophora tamaricicola 279
Phanerochaete allantospora 280
Phanerochaete arizonica 280
Phanerochaete omnivorum 281
Phanerochaete tuberculata 282
Phellinus texanus 283
Phyllactinia corylea 266
Phymatotrichum omnivorum 266
Polyporus arcularius 287
Poria purpurea 287
Poria tarda 289
Poria xylostromatoides 289
Puccinia vexans 266
Pycnoporus cinnabarinus 290
Resupinatus applicatus 294
Schizophyllum commune 295
Trechispora farinacea 268
Xylaria hypoxylon 296

Freycenetia
Meliola 998
Fuligo
Nectria candicans 356
Fusarium
Melanospora zamiae 309
Stephanoma phaeospora 370

Gahnia
Meliola 1003
Glyptotendipes (animal)
Catenaria uncinata 461
Glyptotermes (animal)
Antennopsis grassei 1278
Gossypium
Olpitrichum macrosporum 793

Hodotermes (animal)
Termitaria 1279
Hordeum
Erysiphe graminis 1035
Humulus
Ceriospora dubyi 859
Hymenaea
Cookeina tricholoma 1253
Hyparrhenia
Puccinia eritraeensis 1080
Hypoestes
Aecidium 1077
Hypsibius (animal)
Ballocephala pedicellata 131, 133

Ilex
Cylindrocladium avesiculatum 616
Nectria aquifolii 356
Imperata
Puccinia fragosoana 1080

Juglans
Cylindrocladium scoparium 616
Juncus
Ligniera 44
Juniperus
Badhamia bispora 674
Lachnella alboviolascens 283
Panus fulvidus 293

Lantana
Ceriospora lantanae 859
Laurus
Oramasia hirsuta var hirsuta 796
Liquidambar
Cylindrocladium floridanum 616
Liriodendron
Cylindrocladium scoparium 616

Litchi
Peronophythora litchii 380
Livistonia
Ceriospora palmicola 861
Lolium
Ligniera junci 45
Ligniera pilorum 44
Loudetia
Phakospora loudetiae 1080

Machaerina
Meliola argentina 996, 998, 1000
Macrobiotus (animal)
Ballocephala pedicellata 133
Mahonia
Cylindrocladium ellipticum 616
Malus
Trichothecium roseum 47
Mangifera
Hemibeltrania navicularis 791
Meloidogyne (animal)
Dactylella oviparasitica 777
Melothria
Uromyces novissimus 1146
Milnesium (animal)
Ballocephala pedicellata 133
Mitracarpus
Puccinia bakoyana 1083
Molinia
Belonidium vexatum 1229
Myrica
Hemibeltrania navicularis 791

Nasutitermes (animal)
Termitaria coronata 1278
Neotermes (animal)
Antennopsis grassei 1278
Nothofagus
Mikronegeria fagi 321

Odontotermes (animal)
Laboulbenia germinata 1278
Opuntia
Curvularia eragrostidis 787
Hyphoderma fouquieriae 274

Panicum
Ligniera 42
Puccinia huberi 1080
Uromyces linearis 1080
Uromyces setariae-italicae 1081
Pelea
Meliola juddiana 998
Meliola peleae 998

Pelvetia
Mycosphaerella 920
Pennisetum
Phakopsora apoda 1080
Puccinia stenotaphri 1080
Phaseolus
Erysiphe polygoni 1035
Phleum
Belonidium vexatum 1229
Phyllitis
Cylindrocladium quinqueseptatum 616
Physalis
Ligniera 42
Physarum
Nectria sporangiicola 356
Picea
Cylindrocladium floridanum 616
Pittiera
Uromyces novissimus 1146
Pinus
Alatospora acuminata 427
Anguillospora longissima 427
Athelia decipiens 268
Baeospora myosura 467
Ceratocystis adjuncti 35
Ceratocystis piliferum 799
Chalara longipes 785
Clavariopsis aquatica 427
Cylindrocladium floridanum 616
Cylindrocladium scoparium 616
Endophragmia boewei 786
Flagellospora 427
Fusarium moniliforme var subglutinans 1133
Heliscus lugdunensis 427
Lemonniera aquatica 427
Tetracladium marchalianum 427
Tricladium 427
Platanus
Poculum crocatum 85, 86
Poa
Ligniera pilorum 44
Podocarpus
Ceratocystis pilifera 799
Curvularia senegalensis 786
Endophragmia boewei 786
Flosculomyces floridaensis 789
Pithomyces maydicus 798
Sporothrix 799
Zygosporium gibbum 800
Polygonum
Endophragmia boewei 787
Ligniera 42
Polystichum
Cylindrocladium heptaseptatum 616
Cylindrocladium pteridis 616
Populus
Laeticorticium lombardiae 207
Laeticorticium roseum 206
Nectria coryli 356
Polyporus arcularius 287
Porotermes (animal)
Termitaria snyderi 1278
Prinsepia
Ceriospora prinsepiae 859
Prosopis
Hyphodontia sambuci 275
Prunus
Cylindrocladium floridanum 616
Cylindrocladium penicilloides 616
Endophragmia boewei 787
Endophragmia boothii 787
Trichothecium roseum 47
Pritchardia
Meliola palmicola 996, 998, 1000
Pseudotsuga
Fomitopsis pinicola 1218
Psychotria
Amazonia psychotriae 998

Quercus
Cylindrocladium ilicicola 616
Endothia parasitica 853
Ophioceras dolichostomum 895
Oramasia hirsuta var ramosa 796
Poculum crocatum 86
Polyporus arcularius 287
Resupinatus applicatus 294
Tubakia dryina 1212

Reticulitermes (animal)
Antennopsis gallica 1278
Coreomycetopsis oedipus 1278
Dimeromyces isopterus 1277, 1278
Laboulbeniopsis termitarius 1278
Mattirolella crustosa 1278
Termitaria 1279
Termitaria pacedensis 1279
Termitaria snyderi 1278
Rhinotermes (animal)
Mattirolella silvestrii 1278
Termitaria snyderi 1278
Rhododendron
Cylindrocladium theae 616
Oramasia hirsuta var hirsuta 796
Wiesneriomyces navanicus 799
Rosa
Cylindrocladium parvum 616

Rubus
Endophragmia boothii 787
Rumex
Erysiphe polygoni 1035

Salix
Oramasia hirsuta var hirsuta 796
Scaevola
Amazonia scaevolae 998
Sequoia
Endophragmia boewei 786
Serenoa
Chalara longipes 785
Endocalyx melanoxanthus 786
Endophragmia boothii 787
Gyrothrix microsperma 791
Meliola palmicola 1006
Menispora uncinata 793
Mycoleptodiscus indicus 793
Oncopodium simmonsii 793
Setaria
Puccinia chaetochloae 1080
Sida
Puccinia heterospora 1083
Solanum
Cylindrocladium ilicicola 616
Fusarium solani 92
Puccinia substriata 1083
Sorghum
Exserohilum turcicum 548
Spartina
Labyrinthula algeriensis 1297
Sphaeropsis
Melanospora zamiae 309
Sporobolus
Uromyces tenuicutis 1081
Stereum
Nectria lactea 356

Tabebuia
Prospodium palmatum 574
Theobroma
Calonectria rigidiuscula 1128
Phytophthora palmivora 1101
Tilia
Culcitalna 866
Trichocladium achrasporum 866
Trianosperma
Uromyces novissimus 1145
Uromyces pentastriatus 1145
Trichopsenius (animal)
Laboulbeniopsis termitarius 1277
Tritirachium
Melanospora zamiae 309
Tsuga
Fomitopsis pinicola 1218

Vernonia
Aecidium banketense 1078
Crossopsora perscita 1078
Veronica
Sorosphaera veronicae 1241
Verticillium
Melanospora zamiae 309
Vigna
Aecidium caulicola 1081
Uromyces appendiculatus 1081

Washingtonia
Cylindrocladium macrosporum 616
Wikstroemia
Amazonia wikstroemiae 998

Zamia
Mycoleptodiscus indicus 793
Zea
Exserohilum pedicellatum 548
Ligniera 42, 44
Ligniera junci 41
Puccinia polysora 1080
Puccinia sorghi 1080
Zinnia
Erysiphe cichoracearum 1035
Zizyphus
Fusarium decemcellulare 1126
Fusarium oxysporum 1128
Zornia
Puccinia zorniae 1081

U.S. POSTAL SERVICE

STATEMENT OF OWNERSHIP, MANAGEMENT AND CIRCULATION

(Required by 39 U.S.C. 3685)

1. TITLE OF PUBLICATION	A. PUBLICATION NO.	2. DATE OF FILING
MYCOLOGIA		29 SEPT 1978
3. FREQUENCY OF ISSUE	**A. NO. OF ISSUES PUBLISHED ANNUALLY**	**B. ANNUAL SUBSCRIPTION PRICE**
BIMONTHLY (6 times a year)		$28.00

4. LOCATION OF KNOWN OFFICE OF PUBLICATION *(Street, City, County, State and ZIP Code) (Not printers)*

THE NEW YORK BOTANICAL GARDEN, BRONX, NEW YORK 10458

5. LOCATION OF THE HEADQUARTERS OR GENERAL BUSINESS OFFICES OF THE PUBLISHERS *(Not printers)*

THE NEW YORK BOTANICAL GARDEN, BRONX, NEW YORK 10458

6. NAMES AND COMPLETE ADDRESSES OF PUBLISHER, EDITOR, AND MANAGING EDITOR

PUBLISHER *(Name and Address)*

THE NEW YORK BOTANICAL GARDEN, BRONX, NEW YORK 10458

EDITOR *(Name and Address)*

DR. MARGARET BARR BIGELOW, UNIV. OF MASS., AMHERST, MA 01002

MANAGING EDITOR *(Name and Address)*

DR. CLARK ROGERSON, THE NEW YORK BOTANICAL GARDEN, BRONX, NY 10458

7. OWNER *(If owned by a corporation, its name and address must be stated and also immediately thereunder the names and addresses of stockholders owning or holding 1 percent or more of total amount of stock. If not owned by a corporation, the names and addresses of the individual owners must be given. If owned by a partnership or other unincorporated firm, its name and address, as well as that of each individual must be given.)*

NAME	ADDRESS
WHOLLY OWNED BY:	
THE NEW YORK BOTANICAL GARDEN	BRONX, NEW YORK 10458

8. KNOWN BONDHOLDERS, MORTGAGEES, AND OTHER SECURITY HOLDERS OWNING OR HOLDING 1 PERCENT OR MORE OF TOTAL AMOUNT OF BONDS, MORTGAGES OR OTHER SECURITIES *(If there are none, so state)*

NAME	ADDRESS
NONE	NONE

9. FOR COMPLETION BY NONPROFIT ORGANIZATIONS AUTHORIZED TO MAIL AT SPECIAL RATES *(Section 132.122, PSM)*

The purpose, function, and nonprofit status of this organization and the exempt status for Federal income tax purposes *(Check one)*

[X] HAVE NOT CHANGED DURING PRECEDING 12 MONTHS [ ] HAVE CHANGED DURING PRECEDING 12 MONTHS *(If changed, publisher must submit explanation of change with this statement.)*

10. EXTENT AND NATURE OF CIRCULATION	AVERAGE NO. COPIES EACH ISSUE DURING PRECEDING 12 MONTHS	ACTUAL NO. COPIES OF SINGLE ISSUE PUBLISHED NEAREST TO FILING DATE
A. TOTAL NO. COPIES PRINTED *(Net Press Run)*	3600	3600
B. PAID CIRCULATION 1. SALES THROUGH DEALERS AND CARRIERS, STREET VENDORS AND COUNTER SALES	0	0
2. MAIL SUBSCRIPTIONS	2896	2896
C. TOTAL PAID CIRCULATION *(Sum of 10B1 and 10B2)*	2896	2896
D. FREE DISTRIBUTION BY MAIL, CARRIER OR OTHER MEANS SAMPLES, COMPLIMENTARY, AND OTHER FREE COPIES	19	19
E. TOTAL DISTRIBUTION *(Sum of C and D)*	2915	2915
F. COPIES NOT DISTRIBUTED 1. OFFICE USE, LEFT OVER, UNACCOUNTED, SPOILED AFTER PRINTING	685	685
2. RETURNS FROM NEWS AGENTS	0	0
G. TOTAL *(Sum of E, F1 and 2—should equal net press run shown in A)*	3600	3600

11. I certify that the statements made by me above are correct and complete.

SIGNATURE AND TITLE OF EDITOR, PUBLISHER, BUSINESS MANAGER, OR OWNER

Anita Weissman, Asst. Mgr. of Publications of THE NEW YORK BOTANICAL GARDEN

12. FOR COMPLETION BY PUBLISHERS MAILING AT THE REGULAR RATES *(Section 132.121, Postal Service Manual)*

39 U. S. C. 3626 provides in pertinent part: "No person who would have been entitled to mail matter under former section 4359 of this title shall mail such matter at the rates provided under this subsection unless he files annually with the Postal Service a written request for permission to mail matter at such rates."

In accordance with the provisions of this statute, I hereby request permission to mail the publication named in Item 1 at the phased postage rates presently authorized by 39 U. S. C. 3626.

SIGNATURE AND TITLE OF EDITOR, PUBLISHER, BUSINESS MANAGER, OR OWNER

PS Form Mar. 1977 3526 *(Page 1)* (See instructions on reverse)

MYCOLOGIA

Official Organ of the Mycological Society of America

Volume LXX, 1978

Consisting of 1359 Pages,
Including Figures

TABLE OF CONTENTS

No. 1 January–February

Cellulose and lignocellulose degradation by thermophilic and thermotolerant fungi ..... S. L. Rosenberg 1
Fungi, especially *Gibberella zeae*, and zearalenone occurrence in wheat. C. W. Hesseltine, R. F. Rogers, and O. Shotwell 14
The respiratory physiology of *Myrothecium verrucaria*. C. C. Reilly and D. Gottlieb 19
Staining fungi associated with *Dendroctonus adjunctus* in pines. R. W. Davidson 35
Zea mays, a new host for *Ligniera junci* (Plasmodiophorales). C. R. Grau and K. J. Leonard 41
Nutritional physiology of *Trichothecium roseum*. S. K. Hasija and H. C. Agarwal 47
Sclerotiniaceae XIII. An undescribed species on *Berberis*. K. P. Dumont and L. R. Batra 61
Sclerotiniaceae XIV. *Asterocalyx* ....K. P. Dumont and S. E. Carpenter 68
Sclerotiniaceae XV. Additional species from India. K. P. Dumont and K. P. Pal 76
Degradation of a plastic—poly epsilon-caprolactone—by Hyphomycetes. R. Kavelman and B. Kendrick 87
Effect of light on aflatoxins, anthraquinones, and sclerotia in *Aspergillus flavus* and *A. parasiticus*. J. W. Bennett, F. A. Fernholz, and L. S. Lee 104
A study of factors affecting the synthesis of terpines by *Ceratocystis variospora* ..... J. A. Hubball and R. P. Collins 117
A new species of Entomophthorales parasitizing tardigrades. B. R. Pohlad and E. C. Bernard 130
Two neustonic fungi ..... F. K. Sparrow 140
Physiological groups in mycophilic fungi ..... O. L. Rudakov 150
Chaetomium cellulolyticum, growth behavior on cellulose and protein production ..... D. S. Chahal and D. I. C. Wang 160
Brief Articles
Amin, Baldev, and Williams on *Phytophthora* on *Cajanus* 171
Maiello on pycnidium origin 176
Kurtzman on mushroom fruiting 179
Maiello on ultraviolet light and pycnidium production 184
Goos on *Triscelophorus* in upland sites 188
O'Donnell on a new *Saccobolus* 189
Haskins on binary plasmotomy in *Echinostelium* 192
Emeh and Marth on degradation of rubratoxin 196
Christensen and Raper on a new Aspergillus 200
Larsen and Gilbertson on a new *Laeticorticium* 206
Humber on *Entomophthora ignobilis* 208
Reviews 211
Notice: Reprints Available 212

No. 2 March–April

Frederick Kroeber Sparrow (1903–1977) ..... R. A. Paterson 213
Professor Anton deBary ..... F. K. Sparrow 222
Proceedings of the Second International Mycological Congress E. G. Simmons 253
Cultural and other studies of fungi that decay ocotillo in Arizona K. K. Nakasone and R. L. Gilbertson 266
Nutrition and parasitism of *Melanospora zamiae* E. G. Jordan and H. L. Barnett 300

The influence of metabolic inhibitors and incubation time on aflatoxin release from *Aspergillus flavus* ..... J. B. ACHMOODY AND J. R. CHIPLEY 313
Mikronegeria alba (Uredinales) ..... R. S. PETERSON AND E. OEHRENS 321
Two new *Aspergillus nidulans* group members from Wyoming soils
M. CHRISTENSEN, K. B. RAPER, AND J. S. STATES 332
Photosporogenesis in *Exserohilum rostratum:* Temperature effects on sporulation and spore morphology ..... Y. HONDA AND M. ARAGAKI 343
Some secondary metabolites from *Nectria* species ..... A. F. DOYLE 355
Hyphal wall chemistry of *Leptomitus lacteus* .. J. M. ARONSON AND C. C. LIN 363
Mycoparasitic relationships. IV. *Stephanoma phaeospora* parasitic on a species of *Fusarium* ..... H. C. HOCH 370
Peronophythoraceae, a new family of Peronosporales
W. H. KO, H. S. CHANG, H. J. SU, C. C. CHEN, AND L. S. LEU 380
Variation, distribution, ethnomycological data and relationships of *Psilocybe aztecorum*, a Mexican hallucinogenic mushroom ..... G. GUZMÁN 385
In vitro effect of aqueous extract of garlic (*Allium sativum*) on the growth and viability of *Cryptococcus neoformans*
R. A. FROMTLING AND G. S. BULMER 397
Nutritional studies of *Zalerion maritimum* in batch culture
L. M. CHURCHLAND AND M. MCCLAREN 406
An investigation of factors retarding colonization of conifer needles by amphibious Hyphomycetes in streams .... J. MICHAELIDES AND B. KENDRICK 419
Role of marine fungi in the biochemistry of the oceans VI. Interactions of *Zalerion maritimum* with the pesticides aldrin and dieldrin
P. L. SGUROS AND R. A. QUEVEDO 431
Geotropism in the endomycorrhizal fungus *Gigaspora margarita*
L. S. WATRUD, J. J. HEITHAUS, III, AND E. G. JAWORSKI 449
Brief Articles
SINGH, VISHWAKARMA, AND BASUCHAUDHURY on mycoparasitism 453
CHRISTENSEN AND WORLEY on *Mycosylva* from Wisconsin 456
MARTIN on two new species of *Catenaria* 461
SCHMIDT on a correction 467
Reviews 468
Briefly Noted 478

No. 3 May–June

Sporulation in *Schizophyllum commune:* Changes in enzyme activity.
S. K. BROMBERG AND M. N. SCHWALB 481
Cytophotometric evidence for heteroploidy in the life cycle of *Armillaria mellea* ..... D. C. PEABODY, J. J. MOTTA, AND C. D. THERRIEN 487
A new lid closure for fungal culture vessels giving complete protection against mite infestation and microbiological contamination ..... R. S. SMITH 499
The Dearness mycological collection ..... J. A. PARMELEE 509
Histological and histochemical techniques applied to the rhodophylloid fungi
S.-L. WHITE AND D. L. LARGENT 527
Photosporogenesis in *Exserohilum rostratum:* Influence of temperature and age of conidiophores in the terminal phase .. Y. HONDA AND M. ARAGAKI 538
Stability of hilum protuberance in *Exserohilum* species
Y. HONDA AND M. ARAGAKI 547
On *Omphalia* and *Omphalina* ..... S. A. REDHEAD AND L. K. WERESUB 556
Cerradoa palmaea: The first rust fungus on Palmae
J. F. HENNEN AND Y. ONO 569
The production of cellulase by *Talaromyces emersonii* ..... B. A. OSO 577
Substrate specificity and kinetic properties of $NADP^+$-dependent alcohol dehydrogenase of *Phycomyces blakesleeanus*
T. K. HARTZ, M. R. HOUSTON, AND L. B. LOCKWOOD 586
Peronosclerospora species and other downy mildews of the Gramineae
C. G. SHAW 594
Effects of monochromatic radiation on pycnidial formation and exudation of conidia in *Botryodiplodia theobromae* ..... Y. HONDA AND M. ARAGAKI 605

Growth and sporulation of species and isolates of *Cylindrocladium* in culture
B. B. HUNTER AND H. L. BARNETT 614
The fungus flora of compost during mycelium colonization by the cultivated mushroom, *Agaricus brunnescens* .....C. L. FERGUS 636
Morphology and photoresponses of fast-neutron and X-ray-induced strains of *Monascus purpureus* .....H.-C. WONG AND Y.-S. BAU 645
Notes on clavarioid fungi. XV. Reorganization of *Clavaria, Chavulinopsis* and *Ramariopsis* .....R. H. PETERSEN 660
Brief Articles
WHITNEY on a new species of *Badhamia* 672
WOLFE AND PETERSEN on the type of *Boletus fumosipes* 676
RICH on zoospore morphology 679
JONES AND SCHMITT on chlorination and survival of *Candida* 684
DITTMER on *Battarraea phalloides* 689
SHEARER on the new genus *Luttrellia* 692
COTTER AND BLANCHARD on heterothallism in *Nectria* 697
Reviews 701
Briefly Noted 703
Erratum 705

No. 4 July–August

The cantharelloid fungi of New England and adjacent areas ..H. E. BIGELOW 707
Lexemuel Ray Hesler .....R. H. PETERSEN 757
The parasexual cycle in *Aspergillus parasiticus* .....K. E. PAPA 766
Dactylella oviparasitica, a new fungal parasite of *Meloidogyne* eggs
G. R. STIRLING AND R. MANKAU 774
New and interesting Hyphomycetes from Tampa, Florida .....B. C. SUTTON 784
Fungistatic effect of a human immunoglobulin preparation, Gamastan, on *Phialophora dermatitidis* .....T-M. JEN AND S-J. KUO 802
Sporidial reproduction in *Sorosporium consanguineum:* Wall ontogeny
J. A. FERNÁNDEZ AND W. M. HESS 814
Evidence for production of inhibitor by the vesicular-arbuscular-mycorrhizal fungus *Gigaspora margarita*
L. S. WATRUD, J. J. HEITHAUS, III AND E. G. JAWORSKI 821
Calcium oxalate crystals in the wall of *Mucor mucedo*
J. F. L. M. URBANUS, H. VAN DEN ENDE, AND B. KOCH 829
Brief Articles
SPIEGEL AND OLIVE on validity of *Copromyxa protea* 843
MEHTA, DEODHAR, AND CHAPHEKAR on variation in *Trichophyton rubrum* 847
LE TOURNEAU on inhibition of sclerotia by cadmium 849
DAVIDSON AND KUHLMAN on *Ceratocystis* associated with *Endothia* cankers 853
DAVIDSON on a new species of *Ceratocystis* 856
PONNAPPA AND SHAW on a new species of *Ceriospora* 859
RAMACHAR AND BHAGYANARAYANA on spermagonia of *Hapalophragmium* 863
CRANE AND SHEARER on two new species of *Trichocladium* 866
NONOMURA on thermophilic fungi in seaweed piles 874
PANDEYA AND SAKSENA on a new species of *Polyschema* 876
MCMEEKIN on streptomycin and growth of *Pythium* 880
KHARE AND TEWARI on two new species of *Lamprospora* 883
COWLEY AND FRYE on yeast-supplemented diets of fiddler crab 888
NOLAN AND MAESTRES on *Saprolegnia australis* from Newfoundland 890
CONWAY AND KIMBROUGH on release of ascospores and asci 895
ONSBERG AND BUNDGAARD on storage of *Epidermophyton* 899
BURK on synonymy and distribution of *Pseudocolus* 900
ADAMS AND DEPLOEY on enzymes produced by thermophilic fungi 906
Reviews 911
Briefly Noted 913

No. 5 September–October

What can lichens tell us about REAL fungi? ..... D. C. SMITH 915
Scanning electron microscopic studies of *Corticium rolfsii* sclerotia parasitized by *Aspergillus terreus* ..... H. SHIGEMITSU, H. KUNOH, AND S. AKAI 935
Phyletic considerations of the Harpellales and Asellariales (Trichomycetes, Zygomycotina) and Kickxellales (Zygomycetes, Zygomycotina) S. T. MOSS AND T. W. K. YOUNG 944
Inhibitors of aquatic Hyphomycetes in dead conifer needles F. BÄRLOCHER AND J. J. OERTLI 964
Fungi of a Long Island oak-birch forest I. Community organization and seasonal occurrence of the opportunistic decomposers of the A horizon S. E. GOCHENAUR 975
Field and laboratory studies of meliolaceous fungi in Hawaii .... R. D. GOOS 995
Taxonomic significance of septal ultrastructure with particular reference to the jelly fungi ..... R. T. MOORE 1007
Wood-inhabiting fungi of a freshwater stream in Rhode Island B. J. LAMORE AND R. D. GOOS 1025
Water stimulates *Sphaerotheca* ..... C. E. YARWOOD 1035
Notes on Colorado fungi III: New and interesting mushrooms from the aspen zone ..... D. H. MITCHEL AND A. H. SMITH 1040
Chemical spot-test reactions—boletes ..... T. J. BARONI 1064
A taxonomic survey of Nigerian rust fungi—Uredinales Nigerianensis—I D. O. EBOH 1077
Assessing the predacity of nematode-trapping fungi in vitro .. C. E. HEINTZ 1086
Phytophthora palmivora: A comparative study of "typical" and "atypical" isolates from cacao (*Theobroma cacao*) G. O. IDOSU AND G. A. ZENTMYER 1101
Characteristics of the cellulase produced by the ascomycete *Poronia punctata* L. D. ROBERTSON AND R. D. KOEHN 1113
Brief Articles
BUTTERFIELD, JONG, AND ALEXANDER on polypropylene vials 1122
COCHRAN AND COCHRAN on *Clitocybe clavipes* and reaction to alcohol .. 1124
SINGH AND SINGH on *Fusarium decemcellulare* in India 1126
Erratum 1129

No. 6 November–December

Characterization of the *Fusarium* causing pitch canker of southern pine E. G. KUHLMAN, L. D. DWINELL, P. E. NELSON, AND C. BOOTH 1131
Species of *Uromyces* that infect new-world Cucurbitaceae H. L. MONOSON AND G. M. ROGERS 1144
Peat microfungi in three habitats in the Florida Everglades B. WALLACE AND C. H. DICKINSON 1151
Physiological studies on *Phymatotrichum omnivorum* VIII. Chemotaxonomic studies ..... M. GUNASEKARAN AND L. PIFER 1164
Distribution of cellular slime molds in Wisconsin prairie soils J. B. SUTHERLAND AND K. B. RAPER 1173
Ultrastructure of *Cyathus stercoreus* .... S. L. FLEGLER AND G. R. HOOPER 1881
Asci of the Pezizales V: The apical apparatus of *Trichobolus zukalii* D. A. SAMUELSON AND J. W. KIMBROUGH 1191
Hyphal nigeran as a potential phylogenetic marker for *Aspergillus* and *Penicillium* species ..... T. F. BOBBITT AND J. N. NORDIN 1201
Conidium ontogeny and cytology of *Tubakia dryina* from Louisiana hardwoods ..... J. P. JONES AND G. E. HOLCOMB 1212
Dinitrogen fixation associated with sporophores of *Fomitopsis pinicola, Fomes fomentarius,* and *Echinodontium tinctorium* M. J. LARSEN, M. F. JURGENSEN, A. E. HARVEY, AND J. C. WARD 1217
Leotiaceae I. Nannfeldt's Phialeoideae: The genera *Belonioscypha, Cyathicula,* and *Phialea* ..... S. E. CARPENTER AND K. P. DUMONT 1223

Brief Articles
KELLER AND SMITH on dissemination of myxomycete spores 1239
TALLEY, MILLER, AND BRASELTON on ultrastructure of *Sorosphaera* zoospores 1241
ESSLINGER on a new species of *Phaeophyscia* 1247
CLARK AND COLLINS on plasmodial incompatibility in *Didymium nigripes* 1249
PFISTER on apothecial development in *Cookeina tricholoma* 1253
BURK AND SMITH on *Dictyophora multicolor* in Guam 1258
NATARAJAN on a new species of *Psathyrella* 1259
DANIELS AND DUFF on germination of *Glomus mosseae* spores 1261
GRAND AND LODGE on *Boletus piedmontensis* 1267
HERVEY, BISTIS, AND LEONG on culture of *Morchella* ascospores 1269
BLACKWELL AND KIMBROUGH on *Hormiscioideus filamentosus* 1274
BURPEE, SANDERS, COLE, AND KIM on staining technique 1281
ONSBERG on *Arcyria obvelata* 1284
ROGERS AND BONMAN on white variant of *Caloscypha fulgens* 1286
PADGETT on salinity tolerance of *Saprolegnia australis* 1288
NATARAJAN AND CHANDRASHEKARA on a new species of *Tomentella* 1294
AMON on sporulating *Labyrinthula* 1297
AMON on thraustochytrids and labyrinthulids 1299
Reviews 1302
Briefly Noted 1314
Notices (reviewers) 1317
Financial Report 1319
Index 1320